

Fig. 1: Number of patients reported on - acute orthopaedic care

		Included		Not collected		Total	
Hospital	RIE	442	100%			442	100%
	BGH	75	100%			75	100%
	DGRI	96	100%			96	100%
	QMH	112	63%	67	37%	179	100%
	Forth Valley	174	100%			174	100%
	Ninewells	231	100%			231	100%
	ARI			233	100%	233	100%
	Hairmyres	94	100%			94	100%
	GRI	145	94%	10	6%	155	100%
	Wishaw	122	100%			122	100%
	Elgin	77	100%			77	100%
	WIG	157	100%			157	100%
	Crosshouse	115	100%			115	100%
	Raigmore	142	100%			142	100%
	RAH	181	100%			181	100%
	Inverclyde	86	100%			86	100%
	Monklands	103	100%			103	100%
	Perth	90	89%	11	11%	101	100%
	Victoria	110	92%	9	8%	119	100%
	Ayr	92	100%			92	100%
SGH	64	100%			64	100%	
Total		2708	89%	330	11%	3038	100%

Perth began sprint audit data collection on 1st May and QMH in mid-June. ARI did not participate in the Rehabilitation audit. July to September GRI and Victoria Infirmary data was collected retrospectively and could not always be sourced.

Fig. 2: Number of patients reported on in rehabilitation care by specialty

Hospital		Rehab specialty										Total	
		COE		Acute (non-ortho)		Ortho		GP		Other			
Hospital	RIE	141	100%									141	100%
	BGH	12	38%					20	63%			32	100%
	DGRI	28	100%									28	100%
	QMH	35	100%									35	100%
	Forth Valley	6	6%			101	94%					107	100%
	Ninewells	38	100%									38	100%
	Hairmyres	17	100%									17	100%
	GRI	15	19%			66	81%					81	100%
	Wishaw	57	95%					3	5%			60	100%
	Elgin	1	6%					17	94%			18	100%
	WIG	37	97%	1	3%							38	100%
	Crosshouse	22	52%			2	5%	18	43%			42	100%
	Raigmore	32	46%					37	54%			69	100%
	RAH	59	89%	4	6%	1	2%	1	2%	1	2%	66	100%
	Inverclyde	27	79%					7	21%			34	100%
	Monklands	50	100%									50	100%
	Perth	10	42%					14	58%			24	100%
	Victoria	71	100%									71	100%
	Ayr	27	75%					9	25%			36	100%
SGH	25	100%									25	100%	
Total		710	70%	5	0%	170	17%	126	12%	1	0%	1012	100%

Fig. 3: Discharge destination from acute orthopaedic care

		Own home		Care home		Rehab - followed		Rehab - not followed		Other destinations		Died		Total	
Hospital	RIE	117	26%	75	17%	141	32%	61	14%	31	7%	17	4%	442	100%
	BGH	13	17%	9	12%	32	43%	7	9%	10	13%	4	5%	75	100%
	DGRI	11	11%	18	19%	28	29%	28	29%	3	3%	8	8%	96	100%
	QMH	41	37%	10	9%	35	31%			20	18%	6	5%	112	100%
	Forth Valley	23	13%	29	17%	107	61%	2	1%	9	5%	4	2%	174	100%
	Ninewells	71	31%	54	23%	38	16%	41	18%	18	8%	9	4%	231	100%
	Hairmyres	45	48%	15	16%	17	18%	1	1%	7	7%	9	10%	94	100%
	GRI	23	16%	12	8%	81	56%	5	3%	15	10%	9	6%	145	100%
	Wishaw	28	23%	15	12%	60	49%	2	2%	8	7%	9	7%	122	100%
	Elgin	17	22%	12	16%	18	23%	17	22%	5	6%	8	10%	77	100%
	WIG	65	41%	20	13%	38	24%	1	1%	24	15%	9	6%	157	100%
	Crosshouse	42	37%	16	14%	42	37%	2	2%	9	8%	4	3%	115	100%
	Raigmore	10	7%	22	15%	69	49%	33	23%	4	3%	4	3%	142	100%
	RAH	53	29%	23	13%	60	33%	8	4%	29	16%	8	4%	181	100%
	Inverclyde	24	28%	20	23%	34	40%			4	5%	4	5%	86	100%
	Monklands	15	15%	12	12%	50	49%	6	6%	11	11%	9	9%	103	100%
	Perth	33	37%	17	19%	24	27%			7	8%	9	10%	90	100%
	Victoria	19	17%	6	5%	71	65%	5	5%	5	5%	4	4%	110	100%
	Ayr	26	28%	15	16%	36	39%			8	9%	7	8%	92	100%
	SGH	17	27%	9	14%	25	39%			11	17%	2	3%	64	100%
Total		693	26%	409	15%	1006	37%	219	8%	238	9%	143	5%	2708	100%

Other destinations are mainly NHS Continuing Care and Acute Hospital

Fig. 4: Discharge destination following rehabilitation care

		Own home		Care home		Other Rehab		Still inpatient		Other destinations		Died		Total	
Hospital	RIE	81	57%	15	11%	1	1%	15	11%	18	13%	11	8%	141	100%
	BGH	14	44%	3	9%	4	13%			8	25%	3	9%	32	100%
	DGRI	21	75%	2	7%	4	14%			1	4%			28	100%
	QMH	22	63%			2	6%			10	29%	1	3%	35	100%
	Forth Valley	67	63%	8	7%					23	21%	9	8%	107	100%
	Ninewells	24	63%	8	21%	1	3%			5	13%			38	100%
	Hairmyres	11	65%							4	24%	2	12%	17	100%
	GRI	49	60%	5	6%	19	23%	2	2%	6	7%			81	100%
	Wishaw	37	62%	4	7%	3	5%	2	3%	14	23%			60	100%
	Elgin	10	56%	4	22%			2	11%	1	6%	1	6%	18	100%
	WIG	19	50%	6	16%			4	11%	9	24%			38	100%
	Crosshouse	29	69%					1	2%	10	24%	2	5%	42	100%
	Raigmore	47	68%	9	13%			4	6%	6	9%	3	4%	69	100%
	RAH	32	48%	11	17%	6	9%	1	2%	10	15%	6	9%	66	100%
	Inverclyde	21	62%	1	3%			1	3%	9	26%	2	6%	34	100%
	Monklands	32	64%			9	18%			5	10%	4	8%	50	100%
	Perth	13	54%	6	25%					2	8%	3	13%	24	100%
	Victoria	52	73%	11	15%			5	7%	2	3%	1	1%	71	100%
	Ayr	19	53%	4	11%	1	3%			10	28%	2	6%	36	100%
	SGH	15	60%	3	12%			3	12%	1	4%	3	12%	25	100%
Total		615	61%	100	10%	50	5%	40	4%	154	15%	53	5%	1012	100%

¹Still inpatient' if still in rehabilitation care at 120 days post-admission to acute orthopaedic care for hip fracture

Fig. 5: Length of stay in acute orthopaedic care by discharge destination

Hospital		Returned/discharged straight home					Discharged to rehabilitation					Returned/discharged to a care home				
		Median	Mean	25%ile	75%ile	N	Median	Mean	25%ile	75%ile	N	Median	Mean	25%ile	75%ile	N
Hospital	RIE	13.0	14.7	8.0	19.0	117	12.0	13.6	8.0	17.0	202	8.0	9.8	6.0	12.0	75
	BGH	9.0	11.9	6.5	16.0	13	13.0	13.9	9.0	19.0	39	7.0	8.2	5.5	11.5	9
	DGRI	10.0	12.1	6.0	14.0	11	9.0	10.7	7.0	13.0	56	9.5	10.4	5.8	14.5	18
	QMH	17.0	21.0	11.5	21.5	41	12.0	14.5	8.0	17.0	35	12.0	13.4	6.8	18.3	10
	Forth Valley	5.0	6.4	4.0	7.0	23	7.0	8.7	4.0	10.0	109	6.0	7.1	4.0	8.5	29
	Ninewells	12.0	13.7	9.0	15.0	71	13.0	15.6	9.0	20.0	79	10.0	18.0	7.0	13.0	54
	Hairmyres	15.0	18.4	10.0	23.0	45	14.5	20.3	12.0	21.0	18	7.0	9.7	6.0	15.0	15
	GRI	12.0	15.9	9.0	22.0	23	6.0	7.2	4.0	9.0	86	5.5	13.1	4.0	16.0	12
	Wishaw	15.0	19.7	11.0	25.8	28	11.0	12.8	7.8	16.0	62	7.0	13.5	5.0	13.0	15
	Elgin	7.0	8.9	6.0	14.0	17	9.0	10.9	6.0	14.0	35	4.0	4.6	3.0	5.0	12
	WIG	9.0	11.4	6.5	13.0	65	11.0	12.0	8.0	15.0	39	5.0	7.6	4.0	9.8	20
	Crosshouse	14.0	15.1	9.0	19.0	42	14.0	16.0	9.3	20.8	44	7.0	7.8	5.0	10.8	16
	Raigmore	9.0	11.4	7.3	15.5	10	8.0	10.3	7.0	11.0	102	9.5	13.9	7.0	17.5	22
	RAH	18.0	18.8	11.0	23.0	53	6.0	9.6	4.0	12.0	68	7.0	15.3	5.0	13.0	23
	Inverclyde	12.0	15.1	9.3	18.0	24	14.0	15.6	6.8	24.3	34	5.0	6.4	4.0	6.8	20
	Monklands	15.0	18.5	11.0	26.0	15	9.0	12.9	6.0	14.0	56	8.5	8.8	6.3	11.8	12
	Perth	10.0	14.9	8.0	16.5	33	12.0	12.5	8.3	15.8	24	19.0	23.0	12.5	28.5	17
	Victoria	8.0	9.3	6.0	9.0	19	8.0	9.2	6.0	11.0	76	7.5	7.8	6.8	8.8	6
	Ayr	12.0	15.6	9.0	19.3	26	12.0	16.6	9.3	19.3	36	7.0	9.1	6.0	10.0	15
	SGH	9.0	14.1	7.0	20.5	17	11.0	10.3	7.0	12.5	25	8.0	7.8	6.0	9.5	9
Total		12.0	14.9	8.0	18.0	693	10.0	12.0	7.0	15.0	1225	8.0	11.4	5.0	12.0	409

Fig. 6: Rehabilitation patients - length of stay in acute orthopaedic care and first rehab stay

Hospital	RIE	Ortho care (if discharged to rehab)				Rehab care (if discharged to rehab)				Ortho + Rehab (if discharged to rehab)			
		Median	25%ile	75%ile	N	Median	25%ile	75%ile	N	Median	25%ile	75%ile	N
	BGH	14	10	19	141	45	27	76	141	60	40	91	141
	DGRI	14	9	20	32	30	22	41	32	43	37	56	32
	QMH	8	5	10	28	21	14	28	28	28	20	42	28
	Forth Valley	12	8	17	35	20	13	26	35	30	26	39	35
	Ninewells	7	4	10	107	24	12	39	107	32	20	54	107
	Hairmyres	13	10	21	38	32	17	56	38	52	28	76	38
	GRI	15	12	21	17	33	22	52	17	52	39	73	17
	Wishaw	5	4	9	81	7	5	17	81	13	10	23	81
	Elgin	11	7	16	60	26	18	39	60	40	29	54	60
	WIG	9	7	14	18	42	30	67	18	54	37	74	18
	Crosshouse	11	8	15	38	58	33	87	38	68	43	101	38
	Raigmore	14	9	22	42	29	20	54	42	41	34	74	42
	RAH	8	6	12	69	23	12	40	69	34	22	52	69
	Inverclyde	7	4	13	66	21	11	43	66	31	17	55	66
	Monklands	14	7	24	34	35	28	56	34	55	41	73	34
	Perth	9	6	13	50	17	12	28	50	26	19	38	50
	Victoria	12	8	16	24	25	11	67	24	37	22	77	24
	Ayr	8	6	11	71	28	16	40	71	37	23	50	71
	SGH	12	9	19	36	33	16	43	36	47	35	61	36
	SGH	11	7	13	25	35	20	92	25	46	31	102	25
Total		10	7	15	1012	27	15	47	1012	40	24	63	1012

Data is for patients whose rehabilitation data was collected and reported throughout this report. Some hospitals were unable to collect rehabilitation data from all rehabilitation units or patients, particularly hospitals with many smaller or outlying rehabilitation units (see Appendix 1 for participation details of individual rehabilitation units). Five per cent of rehabilitation patients in the table above were discharged to a second rehabilitation unit, so overall median length of rehabilitation stay (including second rehabilitation stays) will be slightly longer than indicated above.

Fig. 7: Context of fall

	Place and activity identified		Place identified		Activity identified		Neither identified		Total		Availability of data				Total	
									9	10	Collected	Not a fall				
RIE	325	87%	48	13%			1	0%	374	100%	374	85%	68	15%	442	100%
BGH	49	70%	12	17%	1	1%	8	11%	70	100%	70	93%	5	7%	75	100%
DGRI	63	69%	13	14%	1	1%	14	15%	91	100%	91	95%	5	5%	96	100%
QMH	76	75%	20	20%	4	4%	2	2%	102	100%	102	91%	10	9%	112	100%
Forth Valley	84	53%	66	42%	6	4%	3	2%	159	100%	159	91%	15	9%	174	100%
Ninewells	117	55%	62	29%	9	4%	23	11%	211	100%	211	91%	20	9%	231	100%
Hairmyres	82	87%	12	13%					94	100%	94	100%			94	100%
GRI	124	92%	10	7%			1	1%	135	100%	135	93%	10	7%	145	100%
Wishaw	81	76%	14	13%	4	4%	8	7%	107	100%	107	88%	15	12%	122	100%
Elgin	53	72%	4	5%	17	23%			74	100%	74	96%	3	4%	77	100%
WIG	114	75%	33	22%	2	1%	4	3%	153	100%	153	97%	4	3%	157	100%
Crosshouse	58	54%	36	33%	11	10%	3	3%	108	100%	108	94%	7	6%	115	100%
Raigmore	127	93%	10	7%					137	100%	137	96%	5	4%	142	100%
RAH	115	66%	50	29%			9	5%	174	100%	174	96%	7	4%	181	100%
Inverclyde	46	55%	30	36%	2	2%	5	6%	83	100%	83	97%	3	3%	86	100%
Monklands	99	97%	1	1%			2	2%	102	100%	102	99%	1	1%	103	100%
Perth	55	63%	29	33%	1	1%	3	3%	88	100%	88	98%	2	2%	90	100%
Victoria	97	89%	8	7%			4	4%	109	100%	109	99%	1	1%	110	100%
Ayr	46	60%	19	25%	9	12%	3	4%	77	100%	77	84%	15	16%	92	100%
SGH	40	66%	20	33%			1	2%	61	100%	61	95%	3	5%	64	100%
Total	1851	74%	497	20%	67	3%	94	4%	2509	100%	2509	93%	199	7%	2708	100%

Fig. 8: Likely causes of falls

	Simple/mechanical fall		Accident		Impaired gait/balance		Medical causes		Other causes		Combined reasons		Not recorded		Total number of patients who fell	
RIE	255	68%	25	7%	21	6%	47	13%			1	0%	25	7%	374	100%
BGH	21	30%	15	21%	5	7%	15	21%	2	3%	12	17%			70	100%
DGRI	73	80%	5	5%	12	13%	1	1%							91	100%
QMH	44	43%	7	7%	10	10%	34	33%	2	2%	5	5%			102	100%
Forth Valley	134	84%	3	2%	7	4%	10	6%	1	1%	4	3%			159	100%
Ninewells	140	66%	16	8%	10	5%	11	5%	3	1%	1	0%	30	14%	211	100%
Hairmyres	68	72%	13	14%	1	1%	7	7%	4	4%	1	1%			94	100%
GRI	82	61%	29	21%	4	3%	12	9%	8	6%					135	100%
Wishaw	76	71%	10	9%	6	6%	9	8%	3	3%			3	3%	107	100%
Elgin	49	66%	5	7%	5	7%	12	16%			2	3%	1	1%	74	100%
WIG	88	58%	14	9%	5	3%	31	20%	8	5%	1	1%	6	4%	153	100%
Crosshouse	35	32%	8	7%	23	21%	22	20%			2	2%	18	17%	108	100%
Raigmore	46	34%	9	7%	71	52%	8	6%	2	1%	1	1%			137	100%
RAH	51	29%	30	17%	22	13%	43	25%			5	3%	23	13%	174	100%
Inverclyde	42	51%	13	16%	11	13%	9	11%	2	2%			6	7%	83	100%
Monklands	58	57%	13	13%	2	2%	24	24%	5	5%					102	100%
Perth	47	53%	8	9%	7	8%	9	10%	1	1%	16	18%			88	100%
Victoria	57	52%	19	17%	3	3%	20	18%	8	7%			2	2%	109	100%
Ayr	25	32%	6	8%	14	18%	24	31%			1	1%	7	9%	77	100%
SGH	35	57%	7	11%	1	2%	13	21%	2	3%			3	5%	61	100%
Total	1426	57%	255	10%	240	10%	361	14%	51	2%	52	2%	124	5%	2509	100%

Fig. 9a: COE inpatient reviews - all patients during their total inpatient stay

	No		Yes		Total	Availability of data					Total	
						Collected		Not available				
RIE	80	18%	362	82%	442	100%	442	100%			442	100%
BGH	40	53%	35	47%	75	100%	75	100%			75	100%
DGRI	35	36%	61	64%	96	100%	96	100%			96	100%
QMH	42	38%	70	63%	112	100%	112	100%			112	100%
Forth Valley	80	46%	94	54%	174	100%	174	100%			174	100%
Ninewells	169	73%	62	27%	231	100%	231	100%			231	100%
Hairmyres	54	57%	40	43%	94	100%	94	100%			94	100%
GRI	78	54%	66	46%	144	100%	144	99%	1	1%	145	100%
Wishaw	56	46%	66	54%	122	100%	122	100%			122	100%
Elgin	30	39%	47	61%	77	100%	77	100%			77	100%
WIG	74	47%	83	53%	157	100%	157	100%			157	100%
Crosshouse	81	70%	34	30%	115	100%	115	100%			115	100%
Raigmore	8	6%	134	94%	142	100%	142	100%			142	100%
RAH	97	54%	84	46%	181	100%	181	100%			181	100%
Inverclyde	59	69%	27	31%	86	100%	86	100%			86	100%
Monklands	49	48%	54	52%	103	100%	103	100%			103	100%
Perth	52	58%	38	42%	90	100%	90	100%			90	100%
Victoria	36	33%	74	67%	110	100%	110	100%			110	100%
Ayr	36	39%	56	61%	92	100%	92	100%			92	100%
SGH	38	59%	26	41%	64	100%	64	100%			64	100%
Total	1194	44%	1513	56%	2707	100%	2707	100%	1	0%	2708	100%

Fig. 9b: COE inpatient reviews - patients returned/discharged straight home

	No		Yes		Total	Availability of data	Availability of data		Total	
							Collected			
RIE	39	33%	78	67%	117	100%	117	100%	117	100%
BGH	9	69%	4	31%	13	100%	13	100%	13	100%
DGRI	9	82%	2	18%	11	100%	11	100%	11	100%
QMH	26	63%	15	37%	41	100%	41	100%	41	100%
Forth Valley	21	91%	2	9%	23	100%	23	100%	23	100%
Ninewells	60	85%	11	15%	71	100%	71	100%	71	100%
Hairmyres	30	67%	15	33%	45	100%	45	100%	45	100%
GRI	19	83%	4	17%	23	100%	23	100%	23	100%
Wishaw	25	89%	3	11%	28	100%	28	100%	28	100%
Elgin	10	59%	7	41%	17	100%	17	100%	17	100%
WIG	43	66%	22	34%	65	100%	65	100%	65	100%
Crosshouse	39	93%	3	7%	42	100%	42	100%	42	100%
Raigmore	1	10%	9	90%	10	100%	10	100%	10	100%
RAH	37	70%	16	30%	53	100%	53	100%	53	100%
Inverclyde	24	100%			24	100%	24	100%	24	100%
Monklands	15	100%			15	100%	15	100%	15	100%
Perth	21	64%	12	36%	33	100%	33	100%	33	100%
Victoria	19	100%			19	100%	19	100%	19	100%
Ayr	16	62%	10	38%	26	100%	26	100%	26	100%
SGH	17	100%			17	100%	17	100%	17	100%
Total	480	69%	213	31%	693	100%	693	100%	693	100%

Fig. 9c: COE inpatient reviews - patients discharged to rehabilitation

	COE inpatient review in Ortho		COE inpatient review in both Ortho & Rehab		COE inpatient review in Rehab		No COE inpatient review		Total		Availability of data				Total	
											Collected		Not available			
RIE			129	91%	12	9%			141	100%	141	100%			141	100%
BGH	8	25%	16	50%			8	25%	32	100%	32	100%			32	100%
DGRI			22	79%	6	21%			28	100%	28	100%			28	100%
QMH			21	60%	14	40%			35	100%	35	100%			35	100%
Forth Valley	17	16%	21	20%	39	36%	30	28%	107	100%	107	100%			107	100%
Ninewells			13	34%	25	66%			38	100%	38	100%			38	100%
Hairmyres			17	100%					17	100%	17	100%			17	100%
GRI	5	6%	23	28%	22	27%	31	38%	81	100%	81	100%			81	100%
Wishaw	1	2%	55	92%	2	3%	2	3%	60	100%	60	100%			60	100%
Elgin	8	44%	2	11%	1	6%	7	39%	18	100%	18	100%			18	100%
WIG			33	87%	5	13%			38	100%	38	100%			38	100%
Crosshouse	3	7%	19	45%	4	10%	16	38%	42	100%	42	100%			42	100%
Raigmore	32	46%	36	52%			1	1%	69	100%	69	100%			69	100%
RAH			22	33%	38	58%	6	9%	66	100%	66	100%			66	100%
Inverclyde			1	3%	26	76%	7	21%	34	100%	34	100%			34	100%
Monklands			21	42%	29	58%			50	100%	50	100%			50	100%
Perth	3	13%	10	43%	2	9%	8	35%	23	100%	23	96%	1	4%	24	100%
Victoria			17	24%	54	76%			71	100%	71	100%			71	100%
Ayr	4	11%	28	78%	4	11%			36	100%	36	100%			36	100%
SGH			2	8%	23	92%			25	100%	25	100%			25	100%
Total	81	8%	508	50%	306	30%	116	11%	1011	100%	1011	100%	1	0%	1012	100%

Fig. 9d: COE inpatient reviews - patients returned/discharged to a care home

	No		Yes		Total	Availability of data				Total
						Collected				
RIE	11	15%	64	85%	75	100%	75	100%	75	100%
BGH	8	89%	1	11%	9	100%	9	100%	9	100%
DGRI	8	44%	10	56%	18	100%	18	100%	18	100%
QMH	5	50%	5	50%	10	100%	10	100%	10	100%
Forth Valley	20	69%	9	31%	29	100%	29	100%	29	100%
Ninewells	51	94%	3	6%	54	100%	54	100%	54	100%
Hairmyres	13	87%	2	13%	15	100%	15	100%	15	100%
GRI	11	92%	1	8%	12	100%	12	100%	12	100%
Wishaw	13	87%	2	13%	15	100%	15	100%	15	100%
Elgin	5	42%	7	58%	12	100%	12	100%	12	100%
WIG	14	70%	6	30%	20	100%	20	100%	20	100%
Crosshouse	16	100%			16	100%	16	100%	16	100%
Raigmore			22	100%	22	100%	22	100%	22	100%
RAH	19	83%	4	17%	23	100%	23	100%	23	100%
Inverclyde	20	100%			20	100%	20	100%	20	100%
Monklands	12	100%			12	100%	12	100%	12	100%
Perth	11	65%	6	35%	17	100%	17	100%	17	100%
Victoria	6	100%			6	100%	6	100%	6	100%
Ayr	9	60%	6	40%	15	100%	15	100%	15	100%
SGH	9	100%			9	100%	9	100%	9	100%
Total	261	64%	148	36%	409	100%	409	100%	409	100%

Fig. 10a: Medical specialty inpatient reviews - all patients during their total inpatient stay

	No		Yes		Total		Availability of data				Total	
							Collected		Not available			
RIE	348	79%	94	21%	442	100%	442	100%			442	100%
BGH	40	53%	35	47%	75	100%	75	100%			75	100%
DGRI	79	82%	17	18%	96	100%	96	100%			96	100%
QMH	35	31%	77	69%	112	100%	112	100%			112	100%
Forth Valley	144	83%	30	17%	174	100%	174	100%			174	100%
Ninewells	176	76%	55	24%	231	100%	231	100%			231	100%
Hairmyres	82	87%	12	13%	94	100%	94	100%			94	100%
GRI	89	62%	55	38%	144	100%	144	99%	1	1%	145	100%
Wishaw	82	67%	40	33%	122	100%	122	100%			122	100%
Elgin	65	84%	12	16%	77	100%	77	100%			77	100%
WIG	62	39%	95	61%	157	100%	157	100%			157	100%
Crosshouse	80	70%	35	30%	115	100%	115	100%			115	100%
Raigmore	123	87%	19	13%	142	100%	142	100%			142	100%
RAH	119	66%	62	34%	181	100%	181	100%			181	100%
Inverclyde	61	71%	25	29%	86	100%	86	100%			86	100%
Monklands	70	68%	33	32%	103	100%	103	100%			103	100%
Perth	56	62%	34	38%	90	100%	90	100%			90	100%
Victoria	73	66%	37	34%	110	100%	110	100%			110	100%
Ayr	57	62%	35	38%	92	100%	92	100%			92	100%
SGH	36	56%	28	44%	64	100%	64	100%			64	100%
Total	1877	69%	830	31%	2707	100%	2707	100%	1	0%	2708	100%

Fig. 10b: Medical specialty inpatient reviews - patients returned/discharged straight home

	No		Yes		Total	Availability of data	Availability of data		Total	
							Collected			
RIE	110	94%	7	6%	117	100%	117	100%	117	100%
BGH	8	62%	5	38%	13	100%	13	100%	13	100%
DGRI	11	100%			11	100%	11	100%	11	100%
QMH	16	39%	25	61%	41	100%	41	100%	41	100%
Forth Valley	22	96%	1	4%	23	100%	23	100%	23	100%
Ninewells	54	76%	17	24%	71	100%	71	100%	71	100%
Hairmyres	41	91%	4	9%	45	100%	45	100%	45	100%
GRI	19	83%	4	17%	23	100%	23	100%	23	100%
Wishaw	21	75%	7	25%	28	100%	28	100%	28	100%
Elgin	15	88%	2	12%	17	100%	17	100%	17	100%
WIG	31	48%	34	52%	65	100%	65	100%	65	100%
Crosshouse	34	81%	8	19%	42	100%	42	100%	42	100%
Raigmore	9	90%	1	10%	10	100%	10	100%	10	100%
RAH	33	62%	20	38%	53	100%	53	100%	53	100%
Inverclyde	19	79%	5	21%	24	100%	24	100%	24	100%
Monklands	10	67%	5	33%	15	100%	15	100%	15	100%
Perth	23	70%	10	30%	33	100%	33	100%	33	100%
Victoria	17	89%	2	11%	19	100%	19	100%	19	100%
Ayr	20	77%	6	23%	26	100%	26	100%	26	100%
SGH	11	65%	6	35%	17	100%	17	100%	17	100%
Total	524	76%	169	24%	693	100%	693	100%	693	100%

Fig. 10c: Medical specialty inpatient reviews - patients discharged to rehabilitation

	Medical specialty inpatient review in Ortho		Medical specialty inpatient review in both Ortho & Rehab		Medical specialty inpatient review in Rehab		No medical specialty inpatient review		Total	Availability of data	Availability of data		Total			
	Number	%	Number	%	Number	%	Number	%			Collected	Not available				
												Number		%		
RIE	27	19%	3	2%	15	11%	96	68%	141	100%	141	100%	141	100%		
BGH	14	44%	3	9%	3	9%	12	38%	32	100%	32	100%	32	100%		
DGRI					12	43%	16	57%	28	100%	28	100%	28	100%		
QMH	6	17%	13	37%	8	23%	8	23%	35	100%	35	100%	35	100%		
Forth Valley	9	8%	5	5%	11	10%	82	77%	107	100%	107	100%	107	100%		
Ninewells	9	24%					29	76%	38	100%	38	100%	38	100%		
Hairmyres	1	6%	1	6%	2	12%	13	76%	17	100%	17	100%	17	100%		
GRI	11	14%	6	7%	20	25%	44	54%	81	100%	81	100%	81	100%		
Wishaw	11	18%	2	3%	7	12%	40	67%	60	100%	60	100%	60	100%		
Elgin	4	22%			1	6%	13	72%	18	100%	18	100%	18	100%		
WIG	14	37%	8	21%	5	13%	11	29%	38	100%	38	100%	38	100%		
Crosshouse	9	21%	1	2%	5	12%	27	64%	42	100%	42	100%	42	100%		
Raigmore	2	3%	1	1%	5	7%	61	88%	69	100%	69	100%	69	100%		
RAH	6	9%	7	11%	7	11%	46	70%	66	100%	66	100%	66	100%		
Inverclyde	7	21%	2	6%	6	18%	19	56%	34	100%	34	100%	34	100%		
Monklands	8	16%	5	10%	6	12%	31	62%	50	100%	50	100%	50	100%		
Perth	4	17%	1	4%	2	9%	16	70%	23	100%	23	96%	1	4%	24	100%
Victoria	6	8%	3	4%	18	25%	44	62%	71	100%	71	100%	71	100%		
Ayr	8	22%	2	6%	6	17%	20	56%	36	100%	36	100%	36	100%		
SGH	5	20%	3	12%	5	20%	12	48%	25	100%	25	100%	25	100%		
Total	161	16%	66	7%	144	14%	640	63%	1011	100%	1011	100%	1	0%	1012	100%

Fig. 10d: Medical specialty inpatient reviews - patients returned/discharged to a care home

	No		Yes		Total	Availability of data	Availability of data		Total	
							Collected			
RIE	68	91%	7	9%	75	100%	75	100%	75	100%
BGH	8	89%	1	11%	9	100%	9	100%	9	100%
DGRI	16	89%	2	11%	18	100%	18	100%	18	100%
QMH	4	40%	6	60%	10	100%	10	100%	10	100%
Forth Valley	26	90%	3	10%	29	100%	29	100%	29	100%
Ninewells	46	85%	8	15%	54	100%	54	100%	54	100%
Hairmyres	15	100%			15	100%	15	100%	15	100%
GRI	11	92%	1	8%	12	100%	12	100%	12	100%
Wishaw	12	80%	3	20%	15	100%	15	100%	15	100%
Elgin	11	92%	1	8%	12	100%	12	100%	12	100%
WIG	9	45%	11	55%	20	100%	20	100%	20	100%
Crosshouse	14	88%	2	13%	16	100%	16	100%	16	100%
Raigmore	21	95%	1	5%	22	100%	22	100%	22	100%
RAH	19	83%	4	17%	23	100%	23	100%	23	100%
Inverclyde	19	95%	1	5%	20	100%	20	100%	20	100%
Monklands	10	83%	2	17%	12	100%	12	100%	12	100%
Perth	12	71%	5	29%	17	100%	17	100%	17	100%
Victoria	5	83%	1	17%	6	100%	6	100%	6	100%
Ayr	14	93%	1	7%	15	100%	15	100%	15	100%
SGH	8	89%	1	11%	9	100%	9	100%	9	100%
Total	348	85%	61	15%	409	100%	409	100%	409	100%

Fig. 11a: Nursing/AHP falls assessments - all patients during their total inpatient stay

	Nursing/AHP falls assessment done				Total		Availability of data				Total	
	Yes		No				Collected		Not available			
RIE	159	36%	282	64%	441	100%	441	100%	1	0%	442	100%
BGH	9	12%	66	88%	75	100%	75	100%			75	100%
DGRI	75	78%	21	22%	96	100%	96	100%			96	100%
QMH	110	98%	2	2%	112	100%	112	100%			112	100%
Forth Valley	35	20%	139	80%	174	100%	174	100%			174	100%
Ninewells	49	21%	182	79%	231	100%	231	100%			231	100%
Hairmyres	42	45%	52	55%	94	100%	94	100%			94	100%
GRI	129	90%	15	10%	144	100%	144	99%	1	1%	145	100%
Wishaw	111	91%	11	9%	122	100%	122	100%			122	100%
Elgin	77	100%			77	100%	77	100%			77	100%
WIG	117	75%	40	25%	157	100%	157	100%			157	100%
Crosshouse	40	35%	75	65%	115	100%	115	100%			115	100%
Raigmore	66	46%	76	54%	142	100%	142	100%			142	100%
RAH	52	29%	129	71%	181	100%	181	100%			181	100%
Inverclyde	71	83%	15	17%	86	100%	86	100%			86	100%
Monklands	94	91%	9	9%	103	100%	103	100%			103	100%
Perth	22	24%	68	76%	90	100%	90	100%			90	100%
Victoria	104	95%	6	5%	110	100%	110	100%			110	100%
Ayr	36	39%	56	61%	92	100%	92	100%			92	100%
SGH	61	95%	3	5%	64	100%	64	100%			64	100%
Total	1459	54%	1247	46%	2706	100%	2706	100%	2	0%	2708	100%

Fig. 11b: Nursing/AHP falls assessments - patients returned/discharged straight home

	Nursing/AHP falls assessment done				Total		Availability of data		Total	
	Yes		No				Collected			
RIE	23	20%	94	80%	117	100%	117	100%	117	100%
BGH			13	100%	13	100%	13	100%	13	100%
DGRI	10	91%	1	9%	11	100%	11	100%	11	100%
QMH	40	98%	1	2%	41	100%	41	100%	41	100%
Forth Valley	1	4%	22	96%	23	100%	23	100%	23	100%
Ninewells	6	8%	65	92%	71	100%	71	100%	71	100%
Hairmyres	20	44%	25	56%	45	100%	45	100%	45	100%
GRI	19	83%	4	17%	23	100%	23	100%	23	100%
Wishaw	17	61%	11	39%	28	100%	28	100%	28	100%
Elgin	17	100%			17	100%	17	100%	17	100%
WIG	46	71%	19	29%	65	100%	65	100%	65	100%
Crosshouse			42	100%	42	100%	42	100%	42	100%
Raigmore	8	80%	2	20%	10	100%	10	100%	10	100%
RAH	6	11%	47	89%	53	100%	53	100%	53	100%
Inverclyde	19	79%	5	21%	24	100%	24	100%	24	100%
Monklands	11	73%	4	27%	15	100%	15	100%	15	100%
Perth			33	100%	33	100%	33	100%	33	100%
Victoria	16	84%	3	16%	19	100%	19	100%	19	100%
Ayr			26	100%	26	100%	26	100%	26	100%
SGH	16	94%	1	6%	17	100%	17	100%	17	100%
Total	275	40%	418	60%	693	100%	693	100%	693	100%

Fig. 11c: Nursing/AHP falls assessments - patients discharged to rehabilitation

	Nursing/AHP falls assessment in Ortho		Nursing/AHP falls assessment in both Ortho & Rehab		Nursing/AHP falls assessment in Rehab		No Nursing/AHP falls assessment		Total	Availability of data	Availability of data		Total			
	Number	%	Number	%	Number	%	Number	%			Collected	Not available				
RIE	7	5%	22	16%	71	51%	39	28%	139	100%	139	99%	2	1%	141	100%
BGH					9	29%	22	71%	31	100%	31	97%	1	3%	32	100%
DGRI	22	79%	1	4%			5	18%	28	100%	28	100%			28	100%
QMH			35	100%					35	100%	35	100%			35	100%
Forth Valley	2	2%	3	3%	28	26%	74	69%	107	100%	107	100%			107	100%
Ninewells			1	3%	33	92%	2	6%	36	100%	36	95%	2	5%	38	100%
Hairmyres	4	24%	5	29%	5	29%	3	18%	17	100%	17	100%			17	100%
GRI	9	11%	62	77%	5	6%	5	6%	81	100%	81	100%			81	100%
Wishaw			60	100%					60	100%	60	100%			60	100%
Elgin	3	17%	15	83%					18	100%	18	100%			18	100%
WIG	1	3%	31	82%	6	16%			38	100%	38	100%			38	100%
Crosshouse					40	95%	2	5%	42	100%	42	100%			42	100%
Raigmore	5	7%	13	19%	26	38%	25	36%	69	100%	69	100%			69	100%
RAH	2	3%	2	3%	39	59%	23	35%	66	100%	66	100%			66	100%
Inverclyde	5	15%	20	59%	8	24%	1	3%	34	100%	34	100%			34	100%
Monklands	1	2%	43	86%	6	12%			50	100%	50	100%			50	100%
Perth					22	96%	1	4%	23	100%	23	96%	1	4%	24	100%
Victoria	3	4%	59	83%	8	11%	1	1%	71	100%	71	100%			71	100%
Ayr					36	100%			36	100%	36	100%			36	100%
SGH			21	84%	4	16%			25	100%	25	100%			25	100%
Total	64	6%	393	39%	346	34%	203	20%	1006	100%	1006	99%	6	1%	1012	100%

Fig. 11d: Nursing/AHP falls assessments - patients returned/discharged to a care home

	Nursing/AHP falls assessment done				Total		Availability of data		Total	
	Yes		No				Collected			
RIE	14	19%	61	81%	75	100%	75	100%	75	100%
BGH			9	100%	9	100%	9	100%	9	100%
DGRI	15	83%	3	17%	18	100%	18	100%	18	100%
QMH	10	100%			10	100%	10	100%	10	100%
Forth Valley			29	100%	29	100%	29	100%	29	100%
Ninewells	4	7%	50	93%	54	100%	54	100%	54	100%
Hairmyres	2	13%	13	87%	15	100%	15	100%	15	100%
GRI	12	100%			12	100%	12	100%	12	100%
Wishaw	15	100%			15	100%	15	100%	15	100%
Elgin	12	100%			12	100%	12	100%	12	100%
WIG	12	60%	8	40%	20	100%	20	100%	20	100%
Crosshouse			16	100%	16	100%	16	100%	16	100%
Raigmore	1	5%	21	95%	22	100%	22	100%	22	100%
RAH			23	100%	23	100%	23	100%	23	100%
Inverclyde	13	65%	7	35%	20	100%	20	100%	20	100%
Monklands	10	83%	2	17%	12	100%	12	100%	12	100%
Perth			17	100%	17	100%	17	100%	17	100%
Victoria	6	100%			6	100%	6	100%	6	100%
Ayr			15	100%	15	100%	15	100%	15	100%
SGH	8	89%	1	11%	9	100%	9	100%	9	100%
Total	134	33%	275	67%	409	100%	409	100%	409	100%

Fig. 12a: Falls nursing care plan in place - all patients during their total inpatient stay

	Falls nursing care plan in place				Total		Availability of data				Total	
	Yes		No				Collected		Not available			
RIE	39	9%	402	91%	441	100%	441	100%	1	0%	442	100%
BGH	2	3%	73	97%	75	100%	75	100%			75	100%
DGRI	1	1%	95	99%	96	100%	96	100%			96	100%
QMH	110	98%	2	2%	112	100%	112	100%			112	100%
Forth Valley	10	6%	164	94%	174	100%	174	100%			174	100%
Ninewells	39	17%	192	83%	231	100%	231	100%			231	100%
Hairmyres	29	31%	65	69%	94	100%	94	100%			94	100%
GRI	128	89%	16	11%	144	100%	144	99%	1	1%	145	100%
Wishaw	23	19%	99	81%	122	100%	122	100%			122	100%
Elgin	13	17%	64	83%	77	100%	77	100%			77	100%
WIG	109	69%	48	31%	157	100%	157	100%			157	100%
Crosshouse	27	23%	88	77%	115	100%	115	100%			115	100%
Raigmore	5	4%	137	96%	142	100%	142	100%			142	100%
RAH	45	25%	136	75%	181	100%	181	100%			181	100%
Inverclyde	10	12%	76	88%	86	100%	86	100%			86	100%
Monklands	63	61%	40	39%	103	100%	103	100%			103	100%
Perth	21	23%	69	77%	90	100%	90	100%			90	100%
Victoria	96	87%	14	13%	110	100%	110	100%			110	100%
Ayr	34	37%	58	63%	92	100%	92	100%			92	100%
SGH	51	80%	13	20%	64	100%	64	100%			64	100%
Total	855	32%	1851	68%	2706	100%	2706	100%	2	0%	2708	100%

Fig. 12b: Falls nursing care plan in place -patients returned/discharged straight home

	Falls nursing care plan in place				Total		Availability of data		Total	
	Yes		No				Collected			
RIE			117	100%	117	100%	117	100%	117	100%
BGH			13	100%	13	100%	13	100%	13	100%
DGRI			11	100%	11	100%	11	100%	11	100%
QMH	40	98%	1	2%	41	100%	41	100%	41	100%
Forth Valley			23	100%	23	100%	23	100%	23	100%
Ninewells	1	1%	70	99%	71	100%	71	100%	71	100%
Hairmyres	12	27%	33	73%	45	100%	45	100%	45	100%
GRI	19	83%	4	17%	23	100%	23	100%	23	100%
Wishaw	1	4%	27	96%	28	100%	28	100%	28	100%
Elgin			17	100%	17	100%	17	100%	17	100%
WIG	39	60%	26	40%	65	100%	65	100%	65	100%
Crosshouse			42	100%	42	100%	42	100%	42	100%
Raigmore			10	100%	10	100%	10	100%	10	100%
RAH	4	8%	49	92%	53	100%	53	100%	53	100%
Inverclyde			24	100%	24	100%	24	100%	24	100%
Monklands	4	27%	11	73%	15	100%	15	100%	15	100%
Perth			33	100%	33	100%	33	100%	33	100%
Victoria	12	63%	7	37%	19	100%	19	100%	19	100%
Ayr			26	100%	26	100%	26	100%	26	100%
SGH	14	82%	3	18%	17	100%	17	100%	17	100%
Total	146	21%	547	79%	693	100%	693	100%	693	100%

Fig. 12c: Falls nursing care plan in place - patients discharged to rehabilitation

	Falls nursing careplan in place in Ortho		Falls nursing careplan in place in both Ortho & Rehab		Falls nursing careplan in place in Rehab		No falls nursing careplan in place		Total	Availability of data				Total		
										Collected		Not available				
RIE			39	28%	101	72%	140	100%	140	99%	1	1%	141	100%		
BGH			2	6%	29	94%	31	100%	31	97%	1	3%	32	100%		
DGRI			1	4%	27	96%	28	100%	28	100%			28	100%		
QMH			35	100%			35	100%	35	100%			35	100%		
Forth Valley			1	1%	9	8%	97	91%	107	100%			107	100%		
Ninewells					35	95%	2	5%	37	100%	37	97%	1	3%	38	100%
Hairmyres	2	12%	3	18%	7	41%	5	29%	17	100%	17	100%			17	100%
GRI	8	10%	62	77%	7	9%	4	5%	81	100%	81	100%			81	100%
Wishaw	9	15%			3	5%	48	80%	60	100%	60	100%			60	100%
Elgin					13	76%	4	24%	17	100%	17	94%	1	6%	18	100%
WIG	1	3%	31	82%	6	16%			38	100%	38	100%			38	100%
Crosshouse					27	66%	14	34%	41	100%	41	98%	1	2%	42	100%
Raigmore					5	7%	64	93%	69	100%	69	100%			69	100%
RAH	3	5%	1	2%	34	52%	28	42%	66	100%	66	100%			66	100%
Inverclyde					10	30%	23	70%	33	100%	33	97%	1	3%	34	100%
Monklands	2	4%	22	44%	20	40%	6	12%	50	100%	50	100%			50	100%
Perth					21	91%	2	9%	23	100%	23	96%	1	4%	24	100%
Victoria	2	3%	57	80%	7	10%	5	7%	71	100%	71	100%			71	100%
Ayr					34	94%	2	6%	36	100%	36	100%			36	100%
SGH			20	80%	5	20%			25	100%	25	100%			25	100%
Total	27	3%	232	23%	285	28%	461	46%	1005	100%	1005	99%	7	1%	1012	100%

Fig. 12d: Falls nursing care plan in place - patients returned/discharged to a care home

	Falls nursing care plan in place				Total	Availability of data		Total
	Yes		No			Collected		
RIE			75	100%	75	100%	75	100%
BGH			9	100%	9	100%	9	100%
DGRI			18	100%	18	100%	18	100%
QMH	10	100%			10	100%	10	100%
Forth Valley			29	100%	29	100%	29	100%
Ninewells	1	2%	53	98%	54	100%	54	100%
Hairmyres	1	7%	14	93%	15	100%	15	100%
GRI	11	92%	1	8%	12	100%	12	100%
Wishaw	6	40%	9	60%	15	100%	15	100%
Elgin			12	100%	12	100%	12	100%
WIG	12	60%	8	40%	20	100%	20	100%
Crosshouse			16	100%	16	100%	16	100%
Raigmore			22	100%	22	100%	22	100%
RAH			23	100%	23	100%	23	100%
Inverclyde			20	100%	20	100%	20	100%
Monklands	3	25%	9	75%	12	100%	12	100%
Perth			17	100%	17	100%	17	100%
Victoria	6	100%			6	100%	6	100%
Ayr			15	100%	15	100%	15	100%
SGH	5	56%	4	44%	9	100%	9	100%
Total	55	13%	354	87%	409	100%	409	100%

Fig. 13a: Was cognition measured? - all patients during their total inpatient stay

	Was cognition measured?				Total		Availability of data				Total	
	Yes		No				Collected		Not available			
RIE	298	68%	140	32%	438	100%	438	99%	4	1%	442	100%
BGH	26	35%	49	65%	75	100%	75	100%			75	100%
DGRI	56	58%	40	42%	96	100%	96	100%			96	100%
QMH	27	24%	85	76%	112	100%	112	100%			112	100%
Forth Valley	19	11%	155	89%	174	100%	174	100%			174	100%
Ninewells	168	73%	63	27%	231	100%	231	100%			231	100%
Hairmyres	14	15%	80	85%	94	100%	94	100%			94	100%
GRI	23	16%	121	84%	144	100%	144	99%	1	1%	145	100%
Wishaw	61	50%	61	50%	122	100%	122	100%			122	100%
Elgin	33	43%	44	57%	77	100%	77	100%			77	100%
WIG	43	27%	114	73%	157	100%	157	100%			157	100%
Crosshouse	22	19%	93	81%	115	100%	115	100%			115	100%
Raigmore	134	94%	8	6%	142	100%	142	100%			142	100%
RAH	75	41%	106	59%	181	100%	181	100%			181	100%
Inverclyde	43	50%	43	50%	86	100%	86	100%			86	100%
Monklands	39	38%	64	62%	103	100%	103	100%			103	100%
Perth	57	63%	33	37%	90	100%	90	100%			90	100%
Victoria	62	56%	48	44%	110	100%	110	100%			110	100%
Ayr	37	40%	55	60%	92	100%	92	100%			92	100%
SGH	25	39%	39	61%	64	100%	64	100%			64	100%
Total	1262	47%	1441	53%	2703	100%	2703	100%	5	0%	2708	100%

Fig. 13b: Was cognition measured? - patients returned/discharged straight home

	Was cognition measured?				Total	Total	Availability of data		Total	Total
	Yes		No				Collected			
RIE	60	51%	57	49%	117	100%	117	100%	117	100%
BGH	1	8%	12	92%	13	100%	13	100%	13	100%
DGRI	5	45%	6	55%	11	100%	11	100%	11	100%
QMH	6	15%	35	85%	41	100%	41	100%	41	100%
Forth Valley	1	4%	22	96%	23	100%	23	100%	23	100%
Ninewells	49	69%	22	31%	71	100%	71	100%	71	100%
Hairmyres			45	100%	45	100%	45	100%	45	100%
GRI	3	13%	20	87%	23	100%	23	100%	23	100%
Wishaw	1	4%	27	96%	28	100%	28	100%	28	100%
Elgin	5	29%	12	71%	17	100%	17	100%	17	100%
WIG	2	3%	63	97%	65	100%	65	100%	65	100%
Crosshouse	3	7%	39	93%	42	100%	42	100%	42	100%
Raigmore	9	90%	1	10%	10	100%	10	100%	10	100%
RAH	19	36%	34	64%	53	100%	53	100%	53	100%
Inverclyde	7	29%	17	71%	24	100%	24	100%	24	100%
Monklands	2	13%	13	87%	15	100%	15	100%	15	100%
Perth	8	24%	25	76%	33	100%	33	100%	33	100%
Victoria			19	100%	19	100%	19	100%	19	100%
Ayr	3	12%	23	88%	26	100%	26	100%	26	100%
SGH	2	12%	15	88%	17	100%	17	100%	17	100%
Total	186	27%	507	73%	693	100%	693	100%	693	100%

Fig. 13c: Was cognition measured? - patients discharged to rehabilitation

	Cognition measured in Ortho		Cognition measured in both Ortho & Rehab		Cognition measured in Rehab		Cognition not measured		Total	Availability of data				Total		
	n	%	n	%	n	%	n	%		Collected		Not available				
									n	%	n	%	n	%	n	%
RIE	12	9%	88	62%	28	20%	13	9%	141	100%	141	100%			141	100%
BGH	4	13%	5	16%	7	23%	15	48%	31	100%	31	97%	1	3%	32	100%
DGRI	5	18%	9	32%	12	43%	2	7%	28	100%	28	100%			28	100%
QMH	10	29%	4	11%	1	3%	20	57%	35	100%	35	100%			35	100%
Forth Valley	4	4%	3	3%	11	10%	89	83%	107	100%	107	100%			107	100%
Ninewells	2	5%	26	68%	10	26%			38	100%	38	100%			38	100%
Hairmyres	4	24%	2	12%	6	35%	5	29%	17	100%	17	100%			17	100%
GRI	4	5%	2	3%	13	16%	61	76%	80	100%	80	99%	1	1%	81	100%
Wishaw			6	10%	45	75%	9	15%	60	100%	60	100%			60	100%
Elgin	4	22%	3	17%	3	17%	8	44%	18	100%	18	100%			18	100%
WIG			3	8%	35	92%			38	100%	38	100%			38	100%
Crosshouse	2	5%	5	12%	9	22%	25	61%	41	100%	41	98%	1	2%	42	100%
Raigmore	46	67%	17	25%	3	4%	3	4%	69	100%	69	100%			69	100%
RAH	14	21%	8	12%	28	42%	16	24%	66	100%	66	100%			66	100%
Inverclyde	3	9%	5	15%	22	65%	4	12%	34	100%	34	100%			34	100%
Monklands	5	10%	8	16%	16	32%	21	42%	50	100%	50	100%			50	100%
Perth	1	4%	14	58%	8	33%	1	4%	24	100%	24	100%			24	100%
Victoria			5	7%	55	77%	11	15%	71	100%	71	100%			71	100%
Ayr	4	11%	7	19%	16	44%	9	25%	36	100%	36	100%			36	100%
SGH			1	4%	22	88%	2	8%	25	100%	25	100%			25	100%
Total	124	12%	221	22%	350	35%	314	31%	1009	100%	1009	100%	3	0%	1012	100%

Fig. 13d: Was cognition measured? - patients returned/discharged to a care home

	Was cognition measured?				Total	Availability of data	Total			
	Yes		No					Collected		
RIE	46	61%	29	39%	75	100%	75	100%	75	100%
BGH	4	44%	5	56%	9	100%	9	100%	9	100%
DGRI	9	50%	9	50%	18	100%	18	100%	18	100%
QMH			10	100%	10	100%	10	100%	10	100%
Forth Valley			29	100%	29	100%	29	100%	29	100%
Ninewells	41	76%	13	24%	54	100%	54	100%	54	100%
Hairmyres			15	100%	15	100%	15	100%	15	100%
GRI			12	100%	12	100%	12	100%	12	100%
Wishaw	4	27%	11	73%	15	100%	15	100%	15	100%
Elgin	5	42%	7	58%	12	100%	12	100%	12	100%
WIG	1	5%	19	95%	20	100%	20	100%	20	100%
Crosshouse			16	100%	16	100%	16	100%	16	100%
Raigmore	22	100%			22	100%	22	100%	22	100%
RAH	3	13%	20	87%	23	100%	23	100%	23	100%
Inverclyde	2	10%	18	90%	20	100%	20	100%	20	100%
Monklands			12	100%	12	100%	12	100%	12	100%
Perth	16	94%	1	6%	17	100%	17	100%	17	100%
Victoria			6	100%	6	100%	6	100%	6	100%
Ayr	2	13%	13	87%	15	100%	15	100%	15	100%
SGH			9	100%	9	100%	9	100%	9	100%
Total	155	38%	254	62%	409	100%	409	100%	409	100%

Fig. 14a: Did the patient appear confused? - all patients during their total inpatient stay

	Did patient appear confused - ortho				Total		Availability of data				Total	
	Yes		No				Collected		Not available			
RIE	228	53%	206	47%	434	100%	434	98%	8	2%	442	100%
BGH	48	64%	27	36%	75	100%	75	100%			75	100%
DGRI	54	56%	42	44%	96	100%	96	100%			96	100%
QMH	68	61%	44	39%	112	100%	112	100%			112	100%
Forth Valley	109	63%	65	37%	174	100%	174	100%			174	100%
Ninewells	135	58%	96	42%	231	100%	231	100%			231	100%
Hairmyres	51	54%	43	46%	94	100%	94	100%			94	100%
GRI	63	44%	81	56%	144	100%	144	99%	1	1%	145	100%
Wishaw	51	42%	71	58%	122	100%	122	100%			122	100%
Elgin	45	58%	32	42%	77	100%	77	100%			77	100%
WIG	88	56%	69	44%	157	100%	157	100%			157	100%
Crosshouse	57	50%	58	50%	115	100%	115	100%			115	100%
Raigmore	69	49%	73	51%	142	100%	142	100%			142	100%
RAH	105	58%	76	42%	181	100%	181	100%			181	100%
Inverclyde	61	71%	25	29%	86	100%	86	100%			86	100%
Monklands	68	66%	35	34%	103	100%	103	100%			103	100%
Perth	41	46%	49	54%	90	100%	90	100%			90	100%
Victoria	60	55%	50	45%	110	100%	110	100%			110	100%
Ayr	48	52%	44	48%	92	100%	92	100%			92	100%
SGH	34	53%	30	47%	64	100%	64	100%			64	100%
Total	1483	55%	1216	45%	2699	100%	2699	100%	9	0%	2708	100%

Fig. 14b: Did the patient appear confused? - patients returned/discharged straight home

	Did patient appear confused - ortho				Total		Availability of data				Total	
	Yes		No				Collected		Not available			
RIE	15	13%	101	87%	116	100%	116	99%	1	1%	117	100%
BGH	3	23%	10	77%	13	100%	13	100%			13	100%
DGRI	1	9%	10	91%	11	100%	11	100%			11	100%
QMH	14	34%	27	66%	41	100%	41	100%			41	100%
Forth Valley	2	9%	21	91%	23	100%	23	100%			23	100%
Ninewells	19	27%	52	73%	71	100%	71	100%			71	100%
Hairmyres	10	22%	35	78%	45	100%	45	100%			45	100%
GRI	7	30%	16	70%	23	100%	23	100%			23	100%
Wishaw	2	7%	26	93%	28	100%	28	100%			28	100%
Elgin	2	12%	15	88%	17	100%	17	100%			17	100%
WIG	15	23%	50	77%	65	100%	65	100%			65	100%
Crosshouse	11	26%	31	74%	42	100%	42	100%			42	100%
Raigmore	2	20%	8	80%	10	100%	10	100%			10	100%
RAH	14	26%	39	74%	53	100%	53	100%			53	100%
Inverclyde	11	46%	13	54%	24	100%	24	100%			24	100%
Monklands	5	33%	10	67%	15	100%	15	100%			15	100%
Perth	3	9%	30	91%	33	100%	33	100%			33	100%
Victoria	4	21%	15	79%	19	100%	19	100%			19	100%
Ayr	3	12%	23	88%	26	100%	26	100%			26	100%
SGH	7	41%	10	59%	17	100%	17	100%			17	100%
Total	150	22%	542	78%	692	100%	692	100%	1	0%	693	100%

Fig. 14c: Did the patient appear confused? - patients discharged to rehabilitation

	Confused in Ortho		Confused in both Ortho & Rehab		Confused in Rehab		Not confused		Total		Availability of data				Total	
	n	%	n	%	n	%	n	%	n	%	Collected		Not available		n	%
											n	%	n	%		
RIE	22	16%	55	40%	14	10%	48	35%	139	100%	139	99%	2	1%	141	100%
BGH	1	3%	20	65%	2	6%	8	26%	31	100%	31	97%	1	3%	32	100%
DGRI	6	21%	5	18%	3	11%	14	50%	28	100%	28	100%			28	100%
QMH	8	23%	12	34%	2	6%	13	37%	35	100%	35	100%			35	100%
Forth Valley	16	15%	39	36%	12	11%	40	37%	107	100%	107	100%			107	100%
Ninewells	12	32%	14	37%	4	11%	8	21%	38	100%	38	100%			38	100%
Hairmyres	1	6%	10	59%	2	12%	4	24%	17	100%	17	100%			17	100%
GRI	7	9%	23	29%	3	4%	47	59%	80	100%	80	99%	1	1%	81	100%
Wishaw	8	13%	15	25%	3	5%	34	57%	60	100%	60	100%			60	100%
Elgin	4	22%	8	44%	1	6%	5	28%	18	100%	18	100%			18	100%
WIG	2	5%	20	53%	8	21%	8	21%	38	100%	38	100%			38	100%
Crosshouse	6	14%	13	31%			23	55%	42	100%	42	100%			42	100%
Raigmore	10	14%	11	16%	5	7%	43	62%	69	100%	69	100%			69	100%
RAH	9	14%	33	50%	5	8%	19	29%	66	100%	66	100%			66	100%
Inverclyde	3	9%	21	62%	4	12%	6	18%	34	100%	34	100%			34	100%
Monklands	5	10%	21	42%	3	6%	21	42%	50	100%	50	100%			50	100%
Perth	3	13%	9	38%			12	50%	24	100%	24	100%			24	100%
Victoria	9	13%	25	35%	7	10%	30	42%	71	100%	71	100%			71	100%
Ayr	4	11%	14	39%	3	8%	15	42%	36	100%	36	100%			36	100%
SGH	2	8%	7	28%	4	16%	12	48%	25	100%	25	100%			25	100%
Total	138	14%	375	37%	85	8%	410	41%	1008	100%	1008	100%	4	0%	1012	100%

Fig. 14d: Did the patient appear confused? - patients returned/discharged to a care home

	Did patient appear confused - ortho				Total	Availability of data		Total		
	Yes		No			Collected				
RIE	69	92%	6	8%	75	100%	75	100%	75	100%
BGH	8	89%	1	11%	9	100%	9	100%	9	100%
DGRI	18	100%			18	100%	18	100%	18	100%
QMH	10	100%			10	100%	10	100%	10	100%
Forth Valley	25	86%	4	14%	29	100%	29	100%	29	100%
Ninewells	47	87%	7	13%	54	100%	54	100%	54	100%
Hairmyres	15	100%			15	100%	15	100%	15	100%
GRI	9	75%	3	25%	12	100%	12	100%	12	100%
Wishaw	11	73%	4	27%	15	100%	15	100%	15	100%
Elgin	12	100%			12	100%	12	100%	12	100%
WIG	18	90%	2	10%	20	100%	20	100%	20	100%
Crosshouse	16	100%			16	100%	16	100%	16	100%
Raigmore	21	95%	1	5%	22	100%	22	100%	22	100%
RAH	20	87%	3	13%	23	100%	23	100%	23	100%
Inverclyde	19	95%	1	5%	20	100%	20	100%	20	100%
Monklands	10	83%	2	17%	12	100%	12	100%	12	100%
Perth	15	88%	2	12%	17	100%	17	100%	17	100%
Victoria	4	67%	2	33%	6	100%	6	100%	6	100%
Ayr	13	87%	2	13%	15	100%	15	100%	15	100%
SGH	9	100%			9	100%	9	100%	9	100%
Total	369	90%	40	10%	409	100%	409	100%	409	100%

Fig. 15a: How many confused patients had their cognition measured? - all patients during their total inpatient stay

	Was cognition measured?				Total	Availability of data			Total	
	Yes		No			Collected				
RIE	161	75%	53	25%	214	100%	214	100%	214	100%
BGH	24	52%	22	48%	46	100%	46	100%	46	100%
DGRI	28	55%	23	45%	51	100%	51	100%	51	100%
QMH	24	36%	42	64%	66	100%	66	100%	66	100%
Forth Valley	14	14%	83	86%	97	100%	97	100%	97	100%
Ninewells	103	79%	28	21%	131	100%	131	100%	131	100%
Hairmyres	10	20%	39	80%	49	100%	49	100%	49	100%
GRI	18	30%	42	70%	60	100%	60	100%	60	100%
Wishaw	27	56%	21	44%	48	100%	48	100%	48	100%
Elgin	19	43%	25	57%	44	100%	44	100%	44	100%
WIG	26	33%	54	68%	80	100%	80	100%	80	100%
Crosshouse	15	26%	42	74%	57	100%	57	100%	57	100%
Raigmore	61	95%	3	5%	64	100%	64	100%	64	100%
RAH	46	46%	54	54%	100	100%	100	100%	100	100%
Inverclyde	30	53%	27	47%	57	100%	57	100%	57	100%
Monklands	30	46%	35	54%	65	100%	65	100%	65	100%
Perth	39	95%	2	5%	41	100%	41	100%	41	100%
Victoria	31	58%	22	42%	53	100%	53	100%	53	100%
Ayr	22	49%	23	51%	45	100%	45	100%	45	100%
SGH	10	33%	20	67%	30	100%	30	100%	30	100%
Total	738	53%	660	47%	1398	100%	1398	100%	1398	100%

Number of confused patients presented here are those who were confused in acute orthopaedic care, and does not include those who were only recorded as confused in rehabilitation care

Fig. 15b: How many confused patients had their cognition measured? - patients returned/discharged straight home

	Was cognition measured?				Total		Availability of data		Total	
	Yes		No				Collected			
RIE	12	80%	3	20%	15	100%	15	100%	15	100%
BGH	1	33%	2	67%	3	100%	3	100%	3	100%
DGRI	1	100%			1	100%	1	100%	1	100%
QMH	5	36%	9	64%	14	100%	14	100%	14	100%
Forth Valley	1	50%	1	50%	2	100%	2	100%	2	100%
Ninewells	15	79%	4	21%	19	100%	19	100%	19	100%
Hairmyres			10	100%	10	100%	10	100%	10	100%
GRI	3	43%	4	57%	7	100%	7	100%	7	100%
Wishaw			2	100%	2	100%	2	100%	2	100%
Elgin	2	100%			2	100%	2	100%	2	100%
WIG	1	7%	14	93%	15	100%	15	100%	15	100%
Crosshouse	3	27%	8	73%	11	100%	11	100%	11	100%
Raigmore	2	100%			2	100%	2	100%	2	100%
RAH	9	64%	5	36%	14	100%	14	100%	14	100%
Inverclyde	4	36%	7	64%	11	100%	11	100%	11	100%
Monklands	1	20%	4	80%	5	100%	5	100%	5	100%
Perth	3	100%			3	100%	3	100%	3	100%
Victoria			4	100%	4	100%	4	100%	4	100%
Ayr	2	67%	1	33%	3	100%	3	100%	3	100%
SGH	1	14%	6	86%	7	100%	7	100%	7	100%
Total	66	44%	84	56%	150	100%	150	100%	150	100%

Fig. 15c: How many confused patients had their cognition measured? - patients confused whilst in rehabilitation

	Cognition measured in Ortho		Cognition measured in both Ortho & Rehab		Cognition measured in Rehab		Cognition not measured		Total	Availability of data Collected	Availability of data		Total	
RIE	7	10%	43	62%	17	25%	2	3%	69	100%	69	100%	69	100%
BGH	4	18%	5	23%	6	27%	7	32%	22	100%	22	100%	22	100%
DGRI			3	38%	5	63%			8	100%	8	100%	8	100%
QMH	4	29%	3	21%	1	7%	6	43%	14	100%	14	100%	14	100%
Forth Valley	4	8%	3	6%	8	16%	36	71%	51	100%	51	100%	51	100%
Ninewells			13	72%	5	28%			18	100%	18	100%	18	100%
Hairmyres	2	17%	2	17%	5	42%	3	25%	12	100%	12	100%	12	100%
GRI	2	8%			10	38%	14	54%	26	100%	26	100%	26	100%
Wishaw			4	22%	13	72%	1	6%	18	100%	18	100%	18	100%
Elgin	3	33%	1	11%	2	22%	3	33%	9	100%	9	100%	9	100%
WIG			3	11%	25	89%			28	100%	28	100%	28	100%
Crosshouse	1	8%	5	38%	3	23%	4	31%	13	100%	13	100%	13	100%
Raigmore	4	25%	10	63%	1	6%	1	6%	16	100%	16	100%	16	100%
RAH	5	13%	5	13%	18	47%	10	26%	38	100%	38	100%	38	100%
Inverclyde	3	12%	4	16%	17	68%	1	4%	25	100%	25	100%	25	100%
Monklands	1	4%	7	29%	11	46%	5	21%	24	100%	24	100%	24	100%
Perth			8	89%	1	11%			9	100%	9	100%	9	100%
Victoria			4	13%	24	75%	4	13%	32	100%	32	100%	32	100%
Ayr	2	12%	4	24%	9	53%	2	12%	17	100%	17	100%	17	100%
SGH			1	9%	10	91%			11	100%	11	100%	11	100%
Total	42	9%	128	28%	191	42%	99	22%	460	100%	460	100%	460	100%

Number of confused patients presented here are those who were confused in acute orthopaedic care, and does not include those who were only recorded as confused in rehabilitation care; patients whose data was not collected in rehabilitation care are also excluded

Fig. 15d: How many confused patients had their cognition measured? - patients returned/discharged to a care home

	Was cognition measured?				Total	Availability of data			Total	
	Yes		No			Collected				
RIE	42	61%	27	39%	69	100%	69	100%	69	100%
BGH	4	50%	4	50%	8	100%	8	100%	8	100%
DGRI	9	50%	9	50%	18	100%	18	100%	18	100%
QMH			10	100%	10	100%	10	100%	10	100%
Forth Valley			25	100%	25	100%	25	100%	25	100%
Ninewells	36	77%	11	23%	47	100%	47	100%	47	100%
Hairmyres			15	100%	15	100%	15	100%	15	100%
GRI			9	100%	9	100%	9	100%	9	100%
Wishaw	3	27%	8	73%	11	100%	11	100%	11	100%
Elgin	5	42%	7	58%	12	100%	12	100%	12	100%
WIG	1	6%	17	94%	18	100%	18	100%	18	100%
Crosshouse			16	100%	16	100%	16	100%	16	100%
Raigmore	21	100%			21	100%	21	100%	21	100%
RAH	3	15%	17	85%	20	100%	20	100%	20	100%
Inverclyde	2	11%	17	89%	19	100%	19	100%	19	100%
Monklands			10	100%	10	100%	10	100%	10	100%
Perth	15	100%			15	100%	15	100%	15	100%
Victoria			4	100%	4	100%	4	100%	4	100%
Ayr	1	8%	12	92%	13	100%	13	100%	13	100%
SGH			9	100%	9	100%	9	100%	9	100%
Total	142	38%	227	62%	369	100%	369	100%	369	100%

Fig. 16a: Pre-fracture medications for bone health for patients with previous history of fragility fractures

	Calcium and/or Vit D		Bisphosphonate		Ca/Vit D + Bisphosphonate		Other		None		Total	Availability of data	Availability of data		Total			
	n	%	n	%	n	%	n	%	n	%			Collected	%		Not available		
																n	%	
RIE	41	24%	13	8%	22	13%	1	1%	95	55%	172	100%	172	99%	2	1%	174	100%
BGH	5	17%			8	28%	1	3%	15	52%	29	100%	29	100%			29	100%
DGRI	5	19%	2	8%	2	8%	1	4%	16	62%	26	100%	26	100%			26	100%
QMH	6	19%	2	6%	8	25%	1	3%	15	47%	32	100%	32	100%			32	100%
Forth Valley	3	25%			1	8%			8	67%	12	100%	12	100%			12	100%
Ninewells	18	22%	2	2%	12	15%	1	1%	48	59%	81	100%	81	100%			81	100%
Hairmyres	9	24%	1	3%	2	5%			25	68%	37	100%	37	100%			37	100%
GRI	10	29%	2	6%	7	21%			15	44%	34	100%	34	100%			34	100%
Wishaw	5	13%	1	3%	7	18%			27	68%	40	100%	40	100%			40	100%
Elgin	2	7%	3	11%	4	14%			19	68%	28	100%	28	100%			28	100%
WIG	16	27%	6	10%	18	30%			20	33%	60	100%	60	100%			60	100%
Crosshouse	7	16%			3	7%			33	77%	43	100%	43	100%			43	100%
Raigmore	5	10%	2	4%	6	12%			39	75%	52	100%	52	100%			52	100%
RAH	15	18%	5	6%	10	12%			54	64%	84	100%	84	100%			84	100%
Inverclyde	5	14%	4	11%	7	19%			20	56%	36	100%	36	100%			36	100%
Monklands	6	25%			4	17%			14	58%	24	100%	24	100%			24	100%
Perth	8	30%	1	4%					18	67%	27	100%	27	100%			27	100%
Victoria	6	22%	1	4%	6	22%			14	52%	27	100%	27	100%			27	100%
Ayr	6	19%	1	3%	5	16%			20	63%	32	100%	32	100%			32	100%
SGH	8	36%	2	9%	1	5%			11	50%	22	100%	22	100%			22	100%
Total	186	21%	48	5%	133	15%	5	1%	526	59%	898	100%	898	100%	2	0%	900	100%

Fig. 16b: Pre-fracture medications for bone health for patients with no previous history of fragility fractures

	Calcium and/or Vit D		Bisphosphonate		Ca/Vit D + Bisphosphonate		Other		None		Total	Availability of data		Total		
												Collected				
RIE	13	9%	5	3%	2	1%			128	86%	148	100%	148	100%	148	100%
BGH	2	6%							29	94%	31	100%	31	100%	31	100%
DGRI	4	6%	1	1%	6	9%	2	3%	57	81%	70	100%	70	100%	70	100%
QMH	3	5%			4	6%			55	89%	62	100%	62	100%	62	100%
Forth Valley	26	17%			1	1%			130	83%	157	100%	157	100%	157	100%
Ninewells	5	10%	1	2%	2	4%			42	84%	50	100%	50	100%	50	100%
Hairmyres	10	18%	1	2%	1	2%	1	2%	42	76%	55	100%	55	100%	55	100%
GRI	6	6%	5	5%	7	6%	1	1%	89	82%	108	100%	108	100%	108	100%
Wishaw	10	12%	2	2%	5	6%			65	79%	82	100%	82	100%	82	100%
Elgin	5	11%			2	4%			40	85%	47	100%	47	100%	47	100%
WIG	11	11%	1	1%	12	13%			72	75%	96	100%	96	100%	96	100%
Crosshouse	2	3%			5	9%			51	88%	58	100%	58	100%	58	100%
Raigmore	1	1%	1	1%	6	7%			81	91%	89	100%	89	100%	89	100%
RAH	9	9%	1	1%	4	4%			82	85%	96	100%	96	100%	96	100%
Inverclyde	2	5%			1	3%			37	93%	40	100%	40	100%	40	100%
Monklands	9	11%			5	6%			65	82%	79	100%	79	100%	79	100%
Perth	4	7%	1	2%					55	92%	60	100%	60	100%	60	100%
Victoria	12	14%	5	6%	7	8%			59	71%	83	100%	83	100%	83	100%
Ayr	2	4%	1	2%	2	4%			40	89%	45	100%	45	100%	45	100%
SGH	5	12%			3	7%			34	81%	42	100%	42	100%	42	100%
Total	141	9%	25	2%	75	5%	4	0%	1253	84%	1498	100%	1498	100%	1498	100%

Fig. 17a: New medications for bone health given to patients not on medications pre-fracture - all patients during their total inpatient stay

	Calcium and/or Vit D		Bisphosphonate		Ca/Vit D + Bisphosphonate		Other		None		Total	Availability of data				Total		
												Collected		Not available				
RIE	116	39%	1	0%	19	6%			163	55%	299	100%	299	97%	8	3%	307	100%
BGH	9	16%			19	33%			30	52%	58	100%	58	100%			58	100%
DGRI	9	12%	1	1%	14	19%	3	4%	46	63%	73	100%	73	100%			73	100%
QMH	13	15%	1	1%	22	25%	9	10%	42	48%	87	100%	87	100%			87	100%
Forth Valley	13	9%	1	1%					129	90%	143	100%	143	100%			143	100%
Ninewells	120	68%	1	1%	9	5%			47	27%	177	100%	177	99%	1	1%	178	100%
Hairmyres	5	7%			9	13%			55	80%	69	100%	69	100%			69	100%
GRI	39	38%			4	4%			61	59%	104	100%	104	99%	1	1%	105	100%
Wishaw	29	32%	1	1%	20	22%			42	46%	92	100%	92	100%			92	100%
Elgin	3	5%	3	5%	20	33%	1	2%	34	56%	61	100%	61	100%			61	100%
WIG	67	72%			3	3%			23	25%	93	100%	93	100%			93	100%
Crosshouse	2	2%			10	11%			83	87%	95	100%	95	100%			95	100%
Raigmore					53	44%			68	56%	121	100%	121	100%			121	100%
RAH	28	21%	1	1%	21	16%	5	4%	80	59%	135	100%	135	99%	2	1%	137	100%
Inverclyde	2	3%	1	2%	4	6%			56	89%	63	100%	63	100%			63	100%
Monklands	6	8%			22	28%			51	65%	79	100%	79	100%			79	100%
Perth	19	25%	1	1%	1	1%			54	72%	75	100%	75	99%	1	1%	76	100%
Victoria	23	32%	2	3%	24	33%	1	1%	23	32%	73	100%	73	100%			73	100%
Ayr	19	26%			20	28%			33	46%	72	100%	72	100%			72	100%
SGH	16	36%			15	33%	1	2%	13	29%	45	100%	45	100%			45	100%
Total	538	27%	14	1%	309	15%	20	1%	1133	56%	2014	100%	2014	99%	13	1%	2027	100%

Medications include those given in both acute orthopaedic and rehabilitation care

Fig. 17b: New medications for bone health given to patients not on medications pre-fracture - patients returned/discharged straight home

	Calcium and/or Vit D		Ca/Vit D + Bisphosphonate		Other		None		Total	Availability of data		Total		
										Collected				
RIE	30	32%	2	2%			63	66%	95	100%	95	100%	95	100%
BGH	2	18%	1	9%			8	73%	11	100%	11	100%	11	100%
DGRI			1	11%			8	89%	9	100%	9	100%	9	100%
QMH	7	21%	6	18%	2	6%	19	56%	34	100%	34	100%	34	100%
Forth Valley							21	100%	21	100%	21	100%	21	100%
Ninewells	39	74%	2	4%			12	23%	53	100%	53	100%	53	100%
Hairmyres	2	5%	4	11%			31	84%	37	100%	37	100%	37	100%
GRI	7	39%					11	61%	18	100%	18	100%	18	100%
Wishaw	5	19%	2	8%			19	73%	26	100%	26	100%	26	100%
Elgin	1	6%	6	38%			9	56%	16	100%	16	100%	16	100%
WIG	24	63%					14	37%	38	100%	38	100%	38	100%
Crosshouse							37	100%	37	100%	37	100%	37	100%
Raigmore			1	10%			9	90%	10	100%	10	100%	10	100%
RAH	13	30%	3	7%			28	64%	44	100%	44	100%	44	100%
Inverclyde							18	100%	18	100%	18	100%	18	100%
Monklands							13	100%	13	100%	13	100%	13	100%
Perth	3	12%					23	88%	26	100%	26	100%	26	100%
Victoria	4	31%	3	23%			6	46%	13	100%	13	100%	13	100%
Ayr	4	19%	5	24%			12	57%	21	100%	21	100%	21	100%
SGH	6	40%	4	27%			5	33%	15	100%	15	100%	15	100%
Total	147	26%	40	7%	2	0%	366	66%	555	100%	555	100%	555	100%

Fig. 17c: New medications for bone health given to patients not on medications pre-fracture - patients discharged to rehabilitation

	New medications (Ortho + Rehab) for Rehab patients										Total		Availability of data		Total			
	Calcium and/or Vit D		Bisphosphonate		Ca/Vit D + Bisphosphonate		Other		None		Collected	Not available						
RIE	50	57%	1	1%	17	19%			20	23%	88	100%	88	94%	6	6%	94	100%
BGH	6	27%			10	45%			6	27%	22	100%	22	100%			22	100%
DGRI	1	6%			8	44%	1	6%	8	44%	18	100%	18	100%			18	100%
QMH	4	15%	1	4%	14	52%	3	11%	5	19%	27	100%	27	100%			27	100%
Forth Valley	12	13%	1	1%					76	85%	89	100%	89	100%			89	100%
Ninewells	18	69%			6	23%			2	8%	26	100%	26	96%	1	4%	27	100%
Hairmyres	2	20%			3	30%			5	50%	10	100%	10	100%			10	100%
GRI	19	34%			3	5%			34	61%	56	100%	56	98%	1	2%	57	100%
Wishaw	18	46%	1	3%	16	41%			4	10%	39	100%	39	100%			39	100%
Elgin	1	7%			4	29%	1	7%	8	57%	14	100%	14	100%			14	100%
WIG	19	83%			1	4%			3	13%	23	100%	23	100%			23	100%
Crosshouse	2	6%			8	24%			24	71%	34	100%	34	100%			34	100%
Raigmore					36	64%			20	36%	56	100%	56	100%			56	100%
RAH	9	18%	1	2%	17	35%	5	10%	17	35%	49	100%	49	96%	2	4%	51	100%
Inverclyde	2	8%	1	4%	4	17%			17	71%	24	100%	24	100%			24	100%
Monklands	5	14%			22	61%			9	25%	36	100%	36	100%			36	100%
Perth	11	50%	1	5%	1	5%			9	41%	22	100%	22	96%	1	4%	23	100%
Victoria	16	34%	2	4%	21	45%	1	2%	7	15%	47	100%	47	100%			47	100%
Ayr	11	37%			14	47%			5	17%	30	100%	30	100%			30	100%
SGH	8	47%			7	41%	1	6%	1	6%	17	100%	17	100%			17	100%
Total	214	29%	9	1%	212	29%	12	2%	280	39%	727	100%	727	99%	11	1%	738	100%

Medications include those given in both acute orthopaedic and rehabilitation care

Fig. 17d: New medications for bone health given to patients not on medications pre-fracture - patients returned/discharged to a care home

	Calcium and/or Vit D		Ca/Vit D + Bisphosphonate		Other		None		Total	Availability of data		Total
										Collected		
RIE	18	40%					27	60%	45	100%	45	100%
BGH	1	14%			2	29%			4	57%	7	100%
DGRI	2	14%							12	86%	14	100%
QMH	1	14%			1	14%	2	29%	3	43%	7	100%
Forth Valley	1	5%							21	95%	22	100%
Ninewells	30	73%							11	27%	41	100%
Hairmyres					1	9%			10	91%	11	100%
GRI	4	57%							3	43%	7	100%
Wishaw	2	20%			2	20%			6	60%	10	100%
Elgin			1	13%	1	13%			6	75%	8	100%
WIG	11	85%			1	8%			1	8%	13	100%
Crosshouse									11	100%	11	100%
Raigmore					2	11%			16	89%	18	100%
RAH	2	14%			1	7%			11	79%	14	100%
Inverclyde									16	100%	16	100%
Monklands									9	100%	9	100%
Perth	3	23%							10	77%	13	100%
Victoria	2	67%							1	33%	3	100%
Ayr	3	30%			1	10%			6	60%	10	100%
SGH	2	67%			1	33%					3	100%
Total	82	29%	1	0%	13	5%	2	1%	184	65%	282	100%

Fig. 18: Medications for bone health at 120 days post-admission

	Calcium and/or Vit D		Bisphosphonate		Ca/Vit D + Bisphosphonate		Other		None		Total		Availability of data				Total					
											Collected		No data - died within 120 days	No data - lost to review audit	Not otherwise recorded							
BGH	8	19%	1	2%	17	40%	3	7%	14	33%	43	100%	43	73%	14	24%		2	3%	59	100%	
DGRI	9	16%	2	4%	15	27%	3	5%	27	48%	56	100%	56	78%	16	22%				72	100%	
QMH	17	40%	2	5%	13	31%	1	2%	9	21%	42	100%	42	78%	8	15%	3	6%	1	2%	54	100%
Forth Valley	33	35%	1	1%	9	9%			52	55%	95	100%	95	81%	21	18%	2	2%			118	100%
Ninewells	65	64%	2	2%	9	9%	4	4%	21	21%	101	100%	101	66%	25	16%	18	12%	9	6%	153	100%
Hairmyres	7	17%	2	5%	10	24%			23	55%	42	100%	42	67%	18	29%	3	5%			63	100%
GRI	42	64%			21	32%			3	5%	66	100%	66	76%	16	18%	5	6%			87	100%
Wishaw	26	34%	3	4%	32	42%			15	20%	76	100%	76	84%	12	13%	1	1%	2	2%	91	100%
Elgin	9	23%	3	8%	12	30%	1	3%	15	38%	40	100%	40	69%	16	28%			2	3%	58	100%
WIG	45	55%	3	4%	20	24%	1	1%	13	16%	82	100%	82	75%	18	17%	9	8%			109	100%
Crosshouse	8	13%	2	3%	17	27%			35	56%	62	100%	62	77%	10	12%	2	2%	7	9%	81	100%
Raigmore	2	2%			48	59%			32	39%	82	100%	82	87%	12	13%					94	100%
RAH	32	41%	5	6%	12	15%	1	1%	29	37%	79	100%	79	67%	28	24%	6	5%	5	4%	118	100%
Inverclyde	4	13%	3	9%	6	19%			19	59%	32	100%	32	68%	10	21%	1	2%	4	9%	47	100%
Monklands	17	34%			16	32%			17	34%	50	100%	50	71%	19	27%	1	1%			70	100%
Perth	16	40%	1	3%	2	5%			21	53%	40	100%	40	75%	11	21%	2	4%			53	100%
Victoria	32	64%			17	34%			1	2%	50	100%	50	88%	7	12%					57	100%
Ayr	12	31%			12	31%			15	38%	39	100%	39	68%	11	19%			7	12%	57	100%
SGH	11	35%	1	3%	15	48%			4	13%	31	100%	31	76%	8	20%	2	5%			41	100%
Total	395	36%	31	3%	303	27%	14	1%	365	33%	1108	100%	1108	75%	280	19%	55	4%	39	3%	1482	100%

Data are predominantly for patients admitted during April to July 2008. GRI and Victoria data are for patients admitted during January to March 2008. RIE did not collect 120-day data.

Fig. 19a: Referrals for (or already awaiting) DEXA scan/result - all patients during their total inpatient stay

	Not Referred for (or awaiting) DEXA		Referred for (or awaiting) DEXA		Total	Availability of data	Availability of data		Total			
							Collected	Not available				
RIE	395	92%	34	8%	429	100%	429	97%	13	3%	442	100%
BGH	60	80%	15	20%	75	100%	75	100%			75	100%
DGRI	86	90%	10	10%	96	100%	96	100%			96	100%
QMH	107	96%	5	4%	112	100%	112	100%			112	100%
Forth Valley	172	99%	2	1%	174	100%	174	100%			174	100%
Ninewells	217	94%	14	6%	231	100%	231	100%			231	100%
Hairmyres	88	94%	6	6%	94	100%	94	100%			94	100%
GRI	95	66%	50	34%	145	100%	145	100%			145	100%
Wishaw	98	80%	24	20%	122	100%	122	100%			122	100%
Elgin	70	91%	7	9%	77	100%	77	100%			77	100%
WIG	97	62%	60	38%	157	100%	157	100%			157	100%
Crosshouse	114	99%	1	1%	115	100%	115	100%			115	100%
Raigmore	119	84%	23	16%	142	100%	142	100%			142	100%
RAH	176	97%	5	3%	181	100%	181	100%			181	100%
Inverclyde	72	84%	14	16%	86	100%	86	100%			86	100%
Monklands	96	93%	7	7%	103	100%	103	100%			103	100%
Perth	78	87%	12	13%	90	100%	90	100%			90	100%
Victoria	93	85%	17	15%	110	100%	110	100%			110	100%
Ayr	88	96%	4	4%	92	100%	92	100%			92	100%
SGH	59	92%	5	8%	64	100%	64	100%			64	100%
Total	2380	88%	315	12%	2695	100%	2695	100%	13	0%	2708	100%

Fig. 19b: Referrals for (or already awaiting) DEXA scan/result - patients returned/discharged straight home

	Not Referred for (or awaiting) DEXA		Referred for (or awaiting) DEXA		Total	Availability of data		Total		
						Collected				
RIE	111	95%	6	5%	117	100%	117	100%	117	100%
BGH	8	62%	5	38%	13	100%	13	100%	13	100%
DGRI	9	82%	2	18%	11	100%	11	100%	11	100%
QMH	37	90%	4	10%	41	100%	41	100%	41	100%
Forth Valley	23	100%			23	100%	23	100%	23	100%
Ninewells	66	93%	5	7%	71	100%	71	100%	71	100%
Hairmyres	43	96%	2	4%	45	100%	45	100%	45	100%
GRI	13	57%	10	43%	23	100%	23	100%	23	100%
Wishaw	22	79%	6	21%	28	100%	28	100%	28	100%
Elgin	13	76%	4	24%	17	100%	17	100%	17	100%
WIG	27	42%	38	58%	65	100%	65	100%	65	100%
Crosshouse	41	98%	1	2%	42	100%	42	100%	42	100%
Raigmore	5	50%	5	50%	10	100%	10	100%	10	100%
RAH	50	94%	3	6%	53	100%	53	100%	53	100%
Inverclyde	17	71%	7	29%	24	100%	24	100%	24	100%
Monklands	15	100%			15	100%	15	100%	15	100%
Perth	26	79%	7	21%	33	100%	33	100%	33	100%
Victoria	14	74%	5	26%	19	100%	19	100%	19	100%
Ayr	25	96%	1	4%	26	100%	26	100%	26	100%
SGH	14	82%	3	18%	17	100%	17	100%	17	100%
Total	579	84%	114	16%	693	100%	693	100%	693	100%

Fig. 19c: Referrals for (or already awaiting) DEXA scan/result - patients discharged to rehabilitation

	Dexa referral in Ortho		Dexa referral in Rehab		No Dexa referral		Total		Availability of data				Total	
									Collected		Not available			
RIE	2	1%	23	17%	109	81%	134	100%	134	95%	7	5%	141	100%
BGH	7	22%			25	78%	32	100%	32	100%			32	100%
DGRI	4	14%	1	4%	23	82%	28	100%	28	100%			28	100%
QMH	1	3%			34	97%	35	100%	35	100%			35	100%
Forth Valley			2	2%	105	98%	107	100%	107	100%			107	100%
Ninewells	1	3%	6	16%	31	82%	38	100%	38	100%			38	100%
Hairmyres			4	24%	13	76%	17	100%	17	100%			17	100%
GRI	24	30%	5	6%	52	64%	81	100%	81	100%			81	100%
Wishaw	9	15%	9	15%	42	70%	60	100%	60	100%			60	100%
Elgin	2	11%			16	89%	18	100%	18	100%			18	100%
WIG	17	45%			21	55%	38	100%	38	100%			38	100%
Crosshouse					42	100%	42	100%	42	100%			42	100%
Raigmore	12	17%			57	83%	69	100%	69	100%			69	100%
RAH			2	3%	63	97%	65	100%	65	98%	1	2%	66	100%
Inverclyde	3	9%	3	9%	28	82%	34	100%	34	100%			34	100%
Monklands	2	4%	5	10%	43	86%	50	100%	50	100%			50	100%
Perth	3	13%			20	87%	23	100%	23	96%	1	4%	24	100%
Victoria	10	14%	2	3%	59	83%	71	100%	71	100%			71	100%
Ayr			3	8%	33	92%	36	100%	36	100%			36	100%
SGH			1	4%	24	96%	25	100%	25	100%			25	100%
Total	97	10%	66	7%	840	84%	1003	100%	1003	99%	9	1%	1012	100%

Fig. 19d: Referrals for (or already awaiting) DEXA scan/result - patients returned/discharged to a care home

	Not Referred for (or awaiting) DEXA		Referred for (or awaiting) DEXA		Total		Availability of data Collected		Total	
RIE	75	100%			75	100%	75	100%	75	100%
BGH	8	89%	1	11%	9	100%	9	100%	9	100%
DGRI	18	100%			18	100%	18	100%	18	100%
QMH	10	100%			10	100%	10	100%	10	100%
Forth Valley	29	100%			29	100%	29	100%	29	100%
Ninewells	53	98%	1	2%	54	100%	54	100%	54	100%
Hairmyres	15	100%			15	100%	15	100%	15	100%
GRI	8	67%	4	33%	12	100%	12	100%	12	100%
Wishaw	15	100%			15	100%	15	100%	15	100%
Elgin	12	100%			12	100%	12	100%	12	100%
WIG	20	100%			20	100%	20	100%	20	100%
Crosshouse	16	100%			16	100%	16	100%	16	100%
Raigmore	21	95%	1	5%	22	100%	22	100%	22	100%
RAH	23	100%			23	100%	23	100%	23	100%
Inverclyde	20	100%			20	100%	20	100%	20	100%
Monklands	12	100%			12	100%	12	100%	12	100%
Perth	16	94%	1	6%	17	100%	17	100%	17	100%
Victoria	6	100%			6	100%	6	100%	6	100%
Ayr	15	100%			15	100%	15	100%	15	100%
SGH	9	100%			9	100%	9	100%	9	100%
Total	401	98%	8	2%	409	100%	409	100%	409	100%

Fig. 20a: Bone protection actions if patients not already on medications - all patients during their total inpatient stay

	Reviewed - new medications		No documented review - new medications inferred from Kardex		Reviewed - no change, referred for Dexa/FLS or deferred to GP		Reviewed - not on meds, no action		Reviewed -no documented action		Total	Availability of data				Total		
	n	%	n	%	n	%	n	%	n	%		Collected		Not available				
												n	%	n	%			
RIE	78	26%	60	20%	9	3%	7	2%	147	49%	301	100%	301	98%	6	2%	307	100%
BGH	27	47%	1	2%	7	12%	2	3%	21	36%	58	100%	58	100%			58	100%
DGRI	27	37%			11	15%	4	5%	31	42%	73	100%	73	100%			73	100%
QMH	45	52%			3	3%	1	1%	38	44%	87	100%	87	100%			87	100%
Forth Valley	11	8%	3	2%	1	1%			128	90%	143	100%	143	100%			143	100%
Ninewells	36	20%	94	53%	1	1%	2	1%	45	25%	178	100%	178	100%			178	100%
Hairmyres	13	19%	1	1%	3	4%	4	6%	48	70%	69	100%	69	100%			69	100%
GRI	43	41%	1	1%	24	23%	6	6%	31	30%	105	100%	105	100%			105	100%
Wishaw	50	54%			3	3%	2	2%	37	40%	92	100%	92	100%			92	100%
Elgin	27	44%			9	15%	9	15%	16	26%	61	100%	61	100%			61	100%
WIG	70	75%			15	16%	1	1%	7	8%	93	100%	93	100%			93	100%
Crosshouse	12	13%			1	1%	2	2%	80	84%	95	100%	95	100%			95	100%
Raigmore	53	44%			29	24%	34	28%	5	4%	121	100%	121	100%			121	100%
RAH	48	35%	9	7%	1	1%	7	5%	72	53%	137	100%	137	100%			137	100%
Inverclyde	6	10%	1	2%	11	17%			45	71%	63	100%	63	100%			63	100%
Monklands	28	35%			5	6%	1	1%	45	57%	79	100%	79	100%			79	100%
Perth	21	28%			17	23%	15	20%	22	29%	75	100%	75	99%	1	1%	76	100%
Victoria	50	68%			7	10%	4	5%	12	16%	73	100%	73	100%			73	100%
Ayr	38	53%	1	1%	2	3%	11	15%	20	28%	72	100%	72	100%			72	100%
SGH	32	71%			2	4%	1	2%	10	22%	45	100%	45	100%			45	100%
Total	715	35%	171	8%	161	8%	113	6%	860	43%	2020	100%	2020	100%	7	0%	2027	100%

Fig. 20b: Bone protection actions if patients not already on medications - patients returned/discharged straight home

	Reviewed - new medications		No documented review - new medications inferred from Kardex		Reviewed - no change, referred for Dexa/FLS or deferred to GP		Reviewed -no documented action		No documented review - no action		Total	Availability of data	Total			
										Collected						
RIE	10	11%	22	23%	5	5%	2	2%	56	59%	95	100%	95	100%	95	100%
BGH	3	27%			4	36%	1	9%	3	27%	11	100%	11	100%	11	100%
DGRI	1	11%			3	33%			5	56%	9	100%	9	100%	9	100%
QMH	15	44%			3	9%			16	47%	34	100%	34	100%	34	100%
Forth Valley					1	5%			20	95%	21	100%	21	100%	21	100%
Ninewells	8	15%	33	62%					12	23%	53	100%	53	100%	53	100%
Hairmyres	5	14%	1	3%			2	5%	29	78%	37	100%	37	100%	37	100%
GRI	7	39%			6	33%			5	28%	18	100%	18	100%	18	100%
Wishaw	7	27%			3	12%			16	62%	26	100%	26	100%	26	100%
Elgin	7	44%			3	19%			6	38%	16	100%	16	100%	16	100%
WIG	24	63%			13	34%			1	3%	38	100%	38	100%	38	100%
Crosshouse					1	3%			36	97%	37	100%	37	100%	37	100%
Raigmore	1	10%			7	70%	2	20%			10	100%	10	100%	10	100%
RAH	12	27%	4	9%	1	2%	5	11%	22	50%	44	100%	44	100%	44	100%
Inverclyde					9	50%			9	50%	18	100%	18	100%	18	100%
Monklands									13	100%	13	100%	13	100%	13	100%
Perth	3	12%			10	38%	2	8%	11	42%	26	100%	26	100%	26	100%
Victoria	7	54%			2	15%	1	8%	3	23%	13	100%	13	100%	13	100%
Ayr	8	38%	1	5%	1	5%	3	14%	8	38%	21	100%	21	100%	21	100%
SGH	10	67%			1	7%			4	27%	15	100%	15	100%	15	100%
Total	128	23%	61	11%	73	13%	18	3%	275	50%	555	100%	555	100%	555	100%

Fig. 20c: Bone protection actions if patients not already on medications - patients discharged to rehabilitation

	Bone Protection Actions - Ortho + Rehab										Total	Availability of data				Total		
	Reviewed - new medications		No documented review - new medications inferred from Kardex		Reviewed - no documented action		Reviewed - no change, referred for Dexa/FLS or deferred to GP		No documented review - no action			Collected	Not available					
RIE	54	60%	16	18%	2	2%	2	2%	16	18%	90	100%	90	96%	4	4%	94	100%
BGH	15	68%	1	5%	1	5%	1	5%	4	18%	22	100%	22	100%			22	100%
DGRI	10	56%			4	22%	1	6%	3	17%	18	100%	18	100%			18	100%
QMH	22	81%					1	4%	4	15%	27	100%	27	100%			27	100%
Forth Valley	11	12%	2	2%					76	85%	89	100%	89	100%			89	100%
Ninewells	24	89%			1	4%	2	7%			27	100%	27	100%			27	100%
Hairmyres	5	50%			3	30%			2	20%	10	100%	10	100%			10	100%
GRI	22	39%	1	2%	18	32%	3	5%	13	23%	57	100%	57	100%			57	100%
Wishaw	35	90%					1	3%	3	8%	39	100%	39	100%			39	100%
Elgin	6	43%			4	29%	2	14%	2	14%	14	100%	14	100%			14	100%
WIG	20	87%			2	9%	1	4%			23	100%	23	100%			23	100%
Crosshouse	10	29%					2	6%	22	65%	34	100%	34	100%			34	100%
Raigmore	36	64%			12	21%	7	13%	1	2%	56	100%	56	100%			56	100%
RAH	30	59%	4	8%					17	33%	51	100%	51	100%			51	100%
Inverclyde	6	25%	1	4%	1	4%			16	67%	24	100%	24	100%			24	100%
Monklands	27	75%			5	14%	1	3%	3	8%	36	100%	36	100%			36	100%
Perth	13	59%			2	9%	7	32%			22	100%	22	96%	1	4%	23	100%
Victoria	40	85%			4	9%			3	6%	47	100%	47	100%			47	100%
Ayr	25	83%					2	7%	3	10%	30	100%	30	100%			30	100%
SGH	16	94%					1	6%			17	100%	17	100%			17	100%
Total	427	58%	25	3%	59	8%	34	5%	188	26%	733	100%	733	99%	5	1%	738	100%

Bone protection actions could have been carried out in either (or both) acute orthopaedic or rehabilitation care

Fig. 20d: Bone protection actions if patients not already on medications - patients returned/discharged to a care home

	Reviewed - new medications		No documented review - new medications inferred from Kardex		Reviewed - no change, referred for Dexa/FLS or deferred to GP		Reviewed - no documented action		No documented review - no action		Total	Availability of data		Total		
												Collected				
RIE	5	11%	13	29%			1	2%	26	58%	45	100%	45	100%	45	100%
BGH	3	43%			1	14%			3	43%	7	100%	7	100%	7	100%
DGRI	2	14%					1	7%	11	79%	14	100%	14	100%	14	100%
QMH	4	57%							3	43%	7	100%	7	100%	7	100%
Forth Valley			1	5%					21	95%	22	100%	22	100%	22	100%
Ninewells	1	2%	29	71%					11	27%	41	100%	41	100%	41	100%
Hairmyres	1	9%							10	91%	11	100%	11	100%	11	100%
GRI	4	57%					1	14%	2	29%	7	100%	7	100%	7	100%
Wishaw	4	40%					1	10%	5	50%	10	100%	10	100%	10	100%
Elgin	2	25%					4	50%	2	25%	8	100%	8	100%	8	100%
WIG	12	92%							1	8%	13	100%	13	100%	13	100%
Crosshouse									11	100%	11	100%	11	100%	11	100%
Raigmore	2	11%			1	6%	15	83%			18	100%	18	100%	18	100%
RAH	3	21%							11	79%	14	100%	14	100%	14	100%
Inverclyde									16	100%	16	100%	16	100%	16	100%
Monklands									9	100%	9	100%	9	100%	9	100%
Perth	3	23%			4	31%	3	23%	3	23%	13	100%	13	100%	13	100%
Victoria	2	67%							1	33%	3	100%	3	100%	3	100%
Ayr	4	40%			1	10%	3	30%	2	20%	10	100%	10	100%	10	100%
SGH	3	100%									3	100%	3	100%	3	100%
Total	55	20%	43	15%	7	2%	29	10%	148	52%	282	100%	282	100%	282	100%

Fig. 21a: Was a nutritional assessment carried out? - all patients during their total inpatient stay

	Was a nutritional assessment done?				Total		Availability of data				Total	
	No		Yes				Collected		Not available			
RIE	179	41%	258	59%	437	100%	437	99%	5	1%	442	100%
BGH	56	75%	19	25%	75	100%	75	100%			75	100%
DGRI	33	34%	63	66%	96	100%	96	100%			96	100%
QMH	15	13%	97	87%	112	100%	112	100%			112	100%
Forth Valley	85	49%	89	51%	174	100%	174	100%			174	100%
Ninewells	32	14%	199	86%	231	100%	231	100%			231	100%
Hairmyres	21	22%	73	78%	94	100%	94	100%			94	100%
GRI	73	51%	71	49%	144	100%	144	99%	1	1%	145	100%
Wishaw	3	2%	119	98%	122	100%	122	100%			122	100%
Elgin	1	1%	76	99%	77	100%	77	100%			77	100%
WIG	13	8%	144	92%	157	100%	157	100%			157	100%
Crosshouse	26	23%	89	77%	115	100%	115	100%			115	100%
Raigmore	22	15%	120	85%	142	100%	142	100%			142	100%
RAH	119	66%	62	34%	181	100%	181	100%			181	100%
Inverclyde	15	17%	71	83%	86	100%	86	100%			86	100%
Monklands	24	23%	79	77%	103	100%	103	100%			103	100%
Perth	13	14%	77	86%	90	100%	90	100%			90	100%
Victoria	43	39%	67	61%	110	100%	110	100%			110	100%
Ayr	22	24%	70	76%	92	100%	92	100%			92	100%
SGH	41	64%	23	36%	64	100%	64	100%			64	100%
Total	836	31%	1866	69%	2702	100%	2702	100%	6	0%	2708	100%

Fig. 21b: Was a nutritional assessment carried out? - patients returned/discharged straight home

	Was a nutritional assessment done?				Total		Availability of data				Total	
	No		Yes				Collected		Not available			
RIE	59	51%	57	49%	116	100%	116	99%	1	1%	117	100%
BGH	13	100%			13	100%	13	100%			13	100%
DGRI	5	45%	6	55%	11	100%	11	100%			11	100%
QMH	3	7%	38	93%	41	100%	41	100%			41	100%
Forth Valley	17	74%	6	26%	23	100%	23	100%			23	100%
Ninewells	4	6%	67	94%	71	100%	71	100%			71	100%
Hairmyres	12	27%	33	73%	45	100%	45	100%			45	100%
GRI	15	65%	8	35%	23	100%	23	100%			23	100%
Wishaw	2	7%	26	93%	28	100%	28	100%			28	100%
Elgin	1	6%	16	94%	17	100%	17	100%			17	100%
WIG	8	12%	57	88%	65	100%	65	100%			65	100%
Crosshouse	14	33%	28	67%	42	100%	42	100%			42	100%
Raigmore	1	10%	9	90%	10	100%	10	100%			10	100%
RAH	49	92%	4	8%	53	100%	53	100%			53	100%
Inverclyde	2	8%	22	92%	24	100%	24	100%			24	100%
Monklands	5	33%	10	67%	15	100%	15	100%			15	100%
Perth	5	15%	28	85%	33	100%	33	100%			33	100%
Victoria	16	84%	3	16%	19	100%	19	100%			19	100%
Ayr	8	31%	18	69%	26	100%	26	100%			26	100%
SGH	16	94%	1	6%	17	100%	17	100%			17	100%
Total	255	37%	437	63%	692	100%	692	100%	1	0%	693	100%

Fig. 21c: Was a nutritional assessment carried out? - patients discharged to rehabilitation

	Nutrition assessment in Ortho		Nutrition assessment in Ortho & Rehab		Nutrition assessment in Rehab		No nutrition assessment		Total		Availability of data				Total	
	n	%	n	%	n	%	n	%	n	%	Collected		Not available		n	%
											n	%	n	%		
RIE	5	4%	48	34%	78	56%	9	6%	140	100%	140	99%	1	1%	141	100%
BGH	1	3%			18	56%	13	41%	32	100%	32	100%			32	100%
DGRI	1	4%	14	50%	11	39%	2	7%	28	100%	28	100%			28	100%
QMH			28	80%	5	14%	2	6%	35	100%	35	100%			35	100%
Forth Valley	14	13%	18	17%	41	38%	34	32%	107	100%	107	100%			107	100%
Ninewells			36	95%	2	5%			38	100%	38	100%			38	100%
Hairmyres			14	82%	3	18%			17	100%	17	100%			17	100%
GRI	13	16%	18	23%	12	15%	37	46%	80	100%	80	99%	1	1%	81	100%
Wishaw	1	2%	59	98%					60	100%	60	100%			60	100%
Elgin			18	100%					18	100%	18	100%			18	100%
WIG	1	3%	35	92%	2	5%			38	100%	38	100%			38	100%
Crosshouse	6	14%	28	67%	7	17%	1	2%	42	100%	42	100%			42	100%
Raigmore	7	10%	48	70%	10	14%	4	6%	69	100%	69	100%			69	100%
RAH	2	3%	5	8%	49	74%	10	15%	66	100%	66	100%			66	100%
Inverclyde	3	9%	26	76%	4	12%	1	3%	34	100%	34	100%			34	100%
Monklands	2	4%	29	58%	11	22%	8	16%	50	100%	50	100%			50	100%
Perth	1	4%	21	88%	2	8%			24	100%	24	100%			24	100%
Victoria	14	20%	23	32%	18	25%	16	23%	71	100%	71	100%			71	100%
Ayr			26	72%	10	28%			36	100%	36	100%			36	100%
SGH	1	4%	2	8%	18	72%	4	16%	25	100%	25	100%			25	100%
Total	72	7%	496	49%	301	30%	141	14%	1010	100%	1010	100%	2	0%	1012	100%

Fig. 21d: Was a nutritional assessment carried out? - patients returned/discharged to a care home

	Was a nutritional assessment done?				Total		Availability of data		Total	
	No		Yes				Collected			
RIE	45	60%	30	40%	75	100%	75	100%	75	100%
BGH	9	100%			9	100%	9	100%	9	100%
DGRI	8	44%	10	56%	18	100%	18	100%	18	100%
QMH	3	30%	7	70%	10	100%	10	100%	10	100%
Forth Valley	23	79%	6	21%	29	100%	29	100%	29	100%
Ninewells	11	20%	43	80%	54	100%	54	100%	54	100%
Hairmyres	4	27%	11	73%	15	100%	15	100%	15	100%
GRI	7	58%	5	42%	12	100%	12	100%	12	100%
Wishaw			15	100%	15	100%	15	100%	15	100%
Elgin			12	100%	12	100%	12	100%	12	100%
WIG	1	5%	19	95%	20	100%	20	100%	20	100%
Crosshouse	6	38%	10	63%	16	100%	16	100%	16	100%
Raigmore	6	27%	16	73%	22	100%	22	100%	22	100%
RAH	23	100%			23	100%	23	100%	23	100%
Inverclyde	10	50%	10	50%	20	100%	20	100%	20	100%
Monklands	4	33%	8	67%	12	100%	12	100%	12	100%
Perth	4	24%	13	76%	17	100%	17	100%	17	100%
Victoria	4	67%	2	33%	6	100%	6	100%	6	100%
Ayr	7	47%	8	53%	15	100%	15	100%	15	100%
SGH	9	100%			9	100%	9	100%	9	100%
Total	184	45%	225	55%	409	100%	409	100%	409	100%

Fig. 22a: Was the patient referred to a dietician? - all patients during their total inpatient stay

	Referred to dietician				Total		Availability of data				Total	
	Yes		No				Collected		Not available			
RIE	82	19%	355	81%	437	100%	437	99%	5	1%	442	100%
BGH	23	31%	52	69%	75	100%	75	100%			75	100%
DGRI	23	24%	73	76%	96	100%	96	100%			96	100%
QMH	32	29%	80	71%	112	100%	112	100%			112	100%
Forth Valley	68	39%	106	61%	174	100%	174	100%			174	100%
Ninewells	29	13%	202	87%	231	100%	231	100%			231	100%
Hairmyres	16	17%	78	83%	94	100%	94	100%			94	100%
GRI	24	17%	120	83%	144	100%	144	99%	1	1%	145	100%
Wishaw	18	15%	104	85%	122	100%	122	100%			122	100%
Elgin	41	53%	36	47%	77	100%	77	100%			77	100%
WIG	16	10%	141	90%	157	100%	157	100%			157	100%
Crosshouse	45	39%	70	61%	115	100%	115	100%			115	100%
Raigmore	35	25%	107	75%	142	100%	142	100%			142	100%
RAH	30	17%	151	83%	181	100%	181	100%			181	100%
Inverclyde	21	24%	65	76%	86	100%	86	100%			86	100%
Monklands	36	35%	67	65%	103	100%	103	100%			103	100%
Perth	26	29%	64	71%	90	100%	90	100%			90	100%
Victoria	20	18%	90	82%	110	100%	110	100%			110	100%
Ayr	40	43%	52	57%	92	100%	92	100%			92	100%
SGH	11	17%	53	83%	64	100%	64	100%			64	100%
Total	636	24%	2066	76%	2702	100%	2702	100%	6	0%	2708	100%

Fig. 22b: Was the patient referred to a dietician? - patients returned/discharged straight home

	Referred to dietician				Total	Availability of data	Availability of data		Total	
	Yes		No				Collected			
RIE	10	9%	107	91%	117	100%	117	100%	117	100%
BGH	1	8%	12	92%	13	100%	13	100%	13	100%
DGRI			11	100%	11	100%	11	100%	11	100%
QMH	7	17%	34	83%	41	100%	41	100%	41	100%
Forth Valley	3	13%	20	87%	23	100%	23	100%	23	100%
Ninewells	5	7%	66	93%	71	100%	71	100%	71	100%
Hairmyres	6	13%	39	87%	45	100%	45	100%	45	100%
GRI	1	4%	22	96%	23	100%	23	100%	23	100%
Wishaw	1	4%	27	96%	28	100%	28	100%	28	100%
Elgin	2	12%	15	88%	17	100%	17	100%	17	100%
WIG	6	9%	59	91%	65	100%	65	100%	65	100%
Crosshouse	12	29%	30	71%	42	100%	42	100%	42	100%
Raigmore			10	100%	10	100%	10	100%	10	100%
RAH	3	6%	50	94%	53	100%	53	100%	53	100%
Inverclyde	1	4%	23	96%	24	100%	24	100%	24	100%
Monklands	4	27%	11	73%	15	100%	15	100%	15	100%
Perth	5	15%	28	85%	33	100%	33	100%	33	100%
Victoria			19	100%	19	100%	19	100%	19	100%
Ayr	5	19%	21	81%	26	100%	26	100%	26	100%
SGH	2	12%	15	88%	17	100%	17	100%	17	100%
Total	74	11%	619	89%	693	100%	693	100%	693	100%

Fig. 22c: Was the patient referred to a dietician? - patients discharged to rehabilitation

	Referred to a dietician in Ortho		Referred to a dietician in Ortho & Rehab		Referred to a dietician in Rehab		Not referred to a dietician		Total	Availability of data	Availability of data		Total			
											Total	Collected		Not available		
RIE	6	4%	9	7%	27	20%	96	70%	138	100%	138	98%	3	2%	141	100%
BGH	4	13%	4	13%	6	19%	18	56%	32	100%	32	100%			32	100%
DGRI	2	7%	2	7%	4	14%	20	71%	28	100%	28	100%			28	100%
QMH	2	6%	3	9%	7	20%	23	66%	35	100%	35	100%			35	100%
Forth Valley	10	9%	17	16%	23	21%	57	53%	107	100%	107	100%			107	100%
Ninewells			4	11%	2	5%	32	84%	38	100%	38	100%			38	100%
Hairmyres			1	6%	4	24%	12	71%	17	100%	17	100%			17	100%
GRI	5	6%	3	4%	12	15%	60	75%	80	100%	80	99%	1	1%	81	100%
Wishaw	3	5%			10	17%	47	78%	60	100%	60	100%			60	100%
Elgin	7	39%	4	22%	2	11%	5	28%	18	100%	18	100%			18	100%
WIG	1	3%	2	5%	2	5%	33	87%	38	100%	38	100%			38	100%
Crosshouse	2	5%	10	24%	7	17%	22	54%	41	100%	41	98%	1	2%	42	100%
Raigmore	5	7%	6	9%	11	16%	47	68%	69	100%	69	100%			69	100%
RAH	5	8%	1	2%	18	27%	42	64%	66	100%	66	100%			66	100%
Inverclyde	1	3%	8	24%	8	24%	17	50%	34	100%	34	100%			34	100%
Monklands	6	12%	7	14%	6	12%	31	62%	50	100%	50	100%			50	100%
Perth	2	8%	2	8%	3	13%	17	71%	24	100%	24	100%			24	100%
Victoria	7	10%	5	7%	3	4%	56	79%	71	100%	71	100%			71	100%
Ayr			10	28%	13	36%	13	36%	36	100%	36	100%			36	100%
SGH	1	4%	2	8%	5	20%	17	68%	25	100%	25	100%			25	100%
Total	69	7%	100	10%	173	17%	665	66%	1007	100%	1007	100%	5	0%	1012	100%

Fig. 22d: Was the patient referred to a dietician? - patients returned/discharged to a care home

	Referred to dietician				Total		Availability of data		Total	
	Yes		No				Collected			
RIE	14	19%	61	81%	75	100%	75	100%	75	100%
BGH	1	11%	8	89%	9	100%	9	100%	9	100%
DGRI	6	33%	12	67%	18	100%	18	100%	18	100%
QMH	2	20%	8	80%	10	100%	10	100%	10	100%
Forth Valley	7	24%	22	76%	29	100%	29	100%	29	100%
Ninewells	8	15%	46	85%	54	100%	54	100%	54	100%
Hairmyres	3	20%	12	80%	15	100%	15	100%	15	100%
GRI	2	17%	10	83%	12	100%	12	100%	12	100%
Wishaw			15	100%	15	100%	15	100%	15	100%
Elgin	8	67%	4	33%	12	100%	12	100%	12	100%
WIG	2	10%	18	90%	20	100%	20	100%	20	100%
Crosshouse	7	44%	9	56%	16	100%	16	100%	16	100%
Raigmore	5	23%	17	77%	22	100%	22	100%	22	100%
RAH	1	4%	22	96%	23	100%	23	100%	23	100%
Inverclyde			20	100%	20	100%	20	100%	20	100%
Monklands	3	25%	9	75%	12	100%	12	100%	12	100%
Perth	3	18%	14	82%	17	100%	17	100%	17	100%
Victoria			6	100%	6	100%	6	100%	6	100%
Ayr	5	33%	10	67%	15	100%	15	100%	15	100%
SGH	1	11%	8	89%	9	100%	9	100%	9	100%
Total	78	19%	331	81%	409	100%	409	100%	409	100%

Fig. 23a: Were patients given dietary supplements? - all patients during their total inpatient stay

	Supplements				Total	Availability of data	Availability of data		Total	
	No	Yes		Collected						
RIE	377	85%	65	15%	442	100%	442	100%	442	100%
BGH	63	84%	12	16%	75	100%	75	100%	75	100%
DGRI	76	79%	20	21%	96	100%	96	100%	96	100%
QMH	89	79%	23	21%	112	100%	112	100%	112	100%
Forth Valley	134	77%	40	23%	174	100%	174	100%	174	100%
Ninewells	209	90%	22	10%	231	100%	231	100%	231	100%
Hairmyres	81	86%	13	14%	94	100%	94	100%	94	100%
GRI	116	80%	29	20%	145	100%	145	100%	145	100%
Wishaw	61	50%	61	50%	122	100%	122	100%	122	100%
Elgin	48	62%	29	38%	77	100%	77	100%	77	100%
WIG	104	66%	53	34%	157	100%	157	100%	157	100%
Crosshouse	99	86%	16	14%	115	100%	115	100%	115	100%
Raigmore	111	78%	31	22%	142	100%	142	100%	142	100%
RAH	153	85%	28	15%	181	100%	181	100%	181	100%
Inverclyde	62	72%	24	28%	86	100%	86	100%	86	100%
Monklands	63	61%	40	39%	103	100%	103	100%	103	100%
Perth	38	42%	52	58%	90	100%	90	100%	90	100%
Victoria	81	74%	29	26%	110	100%	110	100%	110	100%
Ayr	71	77%	21	23%	92	100%	92	100%	92	100%
SGH	45	70%	19	30%	64	100%	64	100%	64	100%
Total	2081	77%	627	23%	2708	100%	2708	100%	2708	100%

Fig. 23b: Were patients given dietary supplements? - patients returned/discharged straight home

	Supplements				Total	Availability of data	Availability of data		Total	
	No		Yes				Collected			
RIE	109	93%	8	7%	117	100%	117	100%	117	100%
BGH	13	100%			13	100%	13	100%	13	100%
DGRI	11	100%			11	100%	11	100%	11	100%
QMH	40	98%	1	2%	41	100%	41	100%	41	100%
Forth Valley	22	96%	1	4%	23	100%	23	100%	23	100%
Ninewells	66	93%	5	7%	71	100%	71	100%	71	100%
Hairmyres	40	89%	5	11%	45	100%	45	100%	45	100%
GRI	21	91%	2	9%	23	100%	23	100%	23	100%
Wishaw	26	93%	2	7%	28	100%	28	100%	28	100%
Elgin	16	94%	1	6%	17	100%	17	100%	17	100%
WIG	56	86%	9	14%	65	100%	65	100%	65	100%
Crosshouse	37	88%	5	12%	42	100%	42	100%	42	100%
Raigmore	10	100%			10	100%	10	100%	10	100%
RAH	52	98%	1	2%	53	100%	53	100%	53	100%
Inverclyde	23	96%	1	4%	24	100%	24	100%	24	100%
Monklands	11	73%	4	27%	15	100%	15	100%	15	100%
Perth	22	67%	11	33%	33	100%	33	100%	33	100%
Victoria	19	100%			19	100%	19	100%	19	100%
Ayr	24	92%	2	8%	26	100%	26	100%	26	100%
SGH	15	88%	2	12%	17	100%	17	100%	17	100%
Total	633	91%	60	9%	693	100%	693	100%	693	100%

Fig. 23c: Were patients given dietary supplements? - patients discharged to rehabilitation

	Given diet supplements in Ortho		Given diet supplements in Ortho & Rehab		Given diet supplements in Rehab		Not given diet supplements		Total	Availability of data Collected	Total			
RIE	7	5%	6	4%	17	12%	111	79%	141	100%	141	100%	141	100%
BGH			2	6%	5	16%	25	78%	32	100%	32	100%	32	100%
DGRI	2	7%	1	4%	4	14%	21	75%	28	100%	28	100%	28	100%
QMH	2	6%	3	9%	5	14%	25	71%	35	100%	35	100%	35	100%
Forth Valley	2	2%	8	7%	20	19%	77	72%	107	100%	107	100%	107	100%
Ninewells	1	3%	2	5%	1	3%	34	89%	38	100%	38	100%	38	100%
Hairmyres	1	6%	1	6%	2	12%	13	76%	17	100%	17	100%	17	100%
GRI	3	4%	8	10%	8	10%	62	77%	81	100%	81	100%	81	100%
Wishaw			11	18%	38	63%	11	18%	60	100%	60	100%	60	100%
Elgin	4	22%	5	28%	1	6%	8	44%	18	100%	18	100%	18	100%
WIG	5	13%	11	29%	6	16%	16	42%	38	100%	38	100%	38	100%
Crosshouse	2	5%	3	7%	3	7%	34	81%	42	100%	42	100%	42	100%
Raigmore	4	6%	4	6%	10	14%	51	74%	69	100%	69	100%	69	100%
RAH	1	2%	5	8%	13	20%	47	71%	66	100%	66	100%	66	100%
Inverclyde	2	6%	5	15%	8	24%	19	56%	34	100%	34	100%	34	100%
Monklands	2	4%	8	16%	10	20%	30	60%	50	100%	50	100%	50	100%
Perth	5	21%	4	17%	10	42%	5	21%	24	100%	24	100%	24	100%
Victoria	7	10%	7	10%	10	14%	47	66%	71	100%	71	100%	71	100%
Ayr	1	3%	3	8%	10	28%	22	61%	36	100%	36	100%	36	100%
SGH	3	12%	3	12%	7	28%	12	48%	25	100%	25	100%	25	100%
Total	54	5%	100	10%	188	19%	670	66%	1012	100%	1012	100%	1012	100%

Fig. 23d: Were patients given dietary supplements? - patients returned/discharged to a care home

	Supplements				Total	Availability of data	Availability of data		Total	
	No		Yes				Collected			
RIE	63	84%	12	16%	75	100%	75	100%	75	100%
BGH	9	100%			9	100%	9	100%	9	100%
DGRI	13	72%	5	28%	18	100%	18	100%	18	100%
QMH	7	70%	3	30%	10	100%	10	100%	10	100%
Forth Valley	26	90%	3	10%	29	100%	29	100%	29	100%
Ninewells	47	87%	7	13%	54	100%	54	100%	54	100%
Hairmyres	12	80%	3	20%	15	100%	15	100%	15	100%
GRI	9	75%	3	25%	12	100%	12	100%	12	100%
Wishaw	13	87%	2	13%	15	100%	15	100%	15	100%
Elgin	6	50%	6	50%	12	100%	12	100%	12	100%
WIG	11	55%	9	45%	20	100%	20	100%	20	100%
Crosshouse	14	88%	2	13%	16	100%	16	100%	16	100%
Raigmore	17	77%	5	23%	22	100%	22	100%	22	100%
RAH	21	91%	2	9%	23	100%	23	100%	23	100%
Inverclyde	13	65%	7	35%	20	100%	20	100%	20	100%
Monklands	8	67%	4	33%	12	100%	12	100%	12	100%
Perth	4	24%	13	76%	17	100%	17	100%	17	100%
Victoria	5	83%	1	17%	6	100%	6	100%	6	100%
Ayr	13	87%	2	13%	15	100%	15	100%	15	100%
SGH	5	56%	4	44%	9	100%	9	100%	9	100%
Total	316	77%	93	23%	409	100%	409	100%	409	100%

Fig. 24a: Were patients put on a special diet? - all patients during their total inpatient stay

	Special diet				Total		Availability of data		Total	
	No		Yes				Collected			
RIE	433	98%	9	2%	442	100%	442	100%	442	100%
BGH	70	93%	5	7%	75	100%	75	100%	75	100%
DGRI	92	96%	4	4%	96	100%	96	100%	96	100%
QMH	34	30%	78	70%	112	100%	112	100%	112	100%
Forth Valley	3	2%	171	98%	174	100%	174	100%	174	100%
Ninewells	222	96%	9	4%	231	100%	231	100%	231	100%
Hairmyres	90	96%	4	4%	94	100%	94	100%	94	100%
GRI	138	95%	7	5%	145	100%	145	100%	145	100%
Wishaw	114	93%	8	7%	122	100%	122	100%	122	100%
Elgin	62	81%	15	19%	77	100%	77	100%	77	100%
WIG	82	52%	75	48%	157	100%	157	100%	157	100%
Crosshouse	78	68%	37	32%	115	100%	115	100%	115	100%
Raigmore	135	95%	7	5%	142	100%	142	100%	142	100%
RAH	171	94%	10	6%	181	100%	181	100%	181	100%
Inverclyde	75	87%	11	13%	86	100%	86	100%	86	100%
Monklands	99	96%	4	4%	103	100%	103	100%	103	100%
Perth	75	83%	15	17%	90	100%	90	100%	90	100%
Victoria	104	95%	6	5%	110	100%	110	100%	110	100%
Ayr	59	64%	33	36%	92	100%	92	100%	92	100%
SGH	49	77%	15	23%	64	100%	64	100%	64	100%
Total	2185	81%	523	19%	2708	100%	2708	100%	2708	100%

Fig. 24b: Were patients put on a special diet? - patients returned/discharged straight home

	Special diet				Total		Availability of data		Total	
	No		Yes				Collected			
RIE	117	100%			117	100%	117	100%	117	100%
BGH	13	100%			13	100%	13	100%	13	100%
DGRI	11	100%			11	100%	11	100%	11	100%
QMH	21	51%	20	49%	41	100%	41	100%	41	100%
Forth Valley			23	100%	23	100%	23	100%	23	100%
Ninewells	69	97%	2	3%	71	100%	71	100%	71	100%
Hairmyres	45	100%			45	100%	45	100%	45	100%
GRI	22	96%	1	4%	23	100%	23	100%	23	100%
Wishaw	27	96%	1	4%	28	100%	28	100%	28	100%
Elgin	17	100%			17	100%	17	100%	17	100%
WIG	46	71%	19	29%	65	100%	65	100%	65	100%
Crosshouse	32	76%	10	24%	42	100%	42	100%	42	100%
Raigmore	10	100%			10	100%	10	100%	10	100%
RAH	50	94%	3	6%	53	100%	53	100%	53	100%
Inverclyde	23	96%	1	4%	24	100%	24	100%	24	100%
Monklands	14	93%	1	7%	15	100%	15	100%	15	100%
Perth	31	94%	2	6%	33	100%	33	100%	33	100%
Victoria	19	100%			19	100%	19	100%	19	100%
Ayr	21	81%	5	19%	26	100%	26	100%	26	100%
SGH	15	88%	2	12%	17	100%	17	100%	17	100%
Total	603	87%	90	13%	693	100%	693	100%	693	100%

Fig. 24c: Were patients put on a special diet? - patients discharged to rehabilitation

	Given special diet in Ortho		Given special diet in Ortho & Rehab		Given special diet in Rehab		Not given special diet		Total	Availability of data	Collected		Total	
RIE			1	1%	6	4%	134	95%	141	100%	141	100%	141	100%
BGH	2	6%	2	6%	1	3%	27	84%	32	100%	32	100%	32	100%
DGRI	1	4%			1	4%	26	93%	28	100%	28	100%	28	100%
QMH	2	6%	19	54%	9	26%	5	14%	35	100%	35	100%	35	100%
Forth Valley	66	62%	40	37%	1	1%			107	100%	107	100%	107	100%
Ninewells	1	3%			1	3%	36	95%	38	100%	38	100%	38	100%
Hairmyres					4	24%	13	76%	17	100%	17	100%	17	100%
GRI	2	2%	1	1%	1	1%	77	95%	81	100%	81	100%	81	100%
Wishaw	3	5%			3	5%	54	90%	60	100%	60	100%	60	100%
Elgin	3	17%	1	6%			14	78%	18	100%	18	100%	18	100%
WIG	10	26%	11	29%	1	3%	16	42%	38	100%	38	100%	38	100%
Crosshouse	1	2%	11	26%	4	10%	26	62%	42	100%	42	100%	42	100%
Raigmore					5	7%	64	93%	69	100%	69	100%	69	100%
RAH	1	2%	1	2%	3	5%	61	92%	66	100%	66	100%	66	100%
Inverclyde	1	3%	6	18%	2	6%	25	74%	34	100%	34	100%	34	100%
Monklands	2	4%					48	96%	50	100%	50	100%	50	100%
Perth	2	8%					22	92%	24	100%	24	100%	24	100%
Victoria	2	3%	1	1%	1	1%	67	94%	71	100%	71	100%	71	100%
Ayr			8	22%	8	22%	20	56%	36	100%	36	100%	36	100%
SGH	1	4%	4	16%	6	24%	14	56%	25	100%	25	100%	25	100%
Total	100	10%	106	10%	57	6%	749	74%	1012	100%	1012	100%	1012	100%

Fig. 24d: Were patients put on a special diet? - patients returned/discharged to a care home

	Special diet				Total		Availability of data		Total	
	No		Yes				Collected			
RIE	74	99%	1	1%	75	100%	75	100%	75	100%
BGH	9	100%			9	100%	9	100%	9	100%
DGRI	17	94%	1	6%	18	100%	18	100%	18	100%
QMH			10	100%	10	100%	10	100%	10	100%
Forth Valley	2	7%	27	93%	29	100%	29	100%	29	100%
Ninewells	50	93%	4	7%	54	100%	54	100%	54	100%
Hairmyres	15	100%			15	100%	15	100%	15	100%
GRI	11	92%	1	8%	12	100%	12	100%	12	100%
Wishaw	15	100%			15	100%	15	100%	15	100%
Elgin	7	58%	5	42%	12	100%	12	100%	12	100%
WIG	6	30%	14	70%	20	100%	20	100%	20	100%
Crosshouse	11	69%	5	31%	16	100%	16	100%	16	100%
Raigmore	21	95%	1	5%	22	100%	22	100%	22	100%
RAH	23	100%			23	100%	23	100%	23	100%
Inverclyde	20	100%			20	100%	20	100%	20	100%
Monklands	12	100%			12	100%	12	100%	12	100%
Perth	13	76%	4	24%	17	100%	17	100%	17	100%
Victoria	6	100%			6	100%	6	100%	6	100%
Ayr	9	60%	6	40%	15	100%	15	100%	15	100%
SGH	8	89%	1	11%	9	100%	9	100%	9	100%
Total	329	80%	80	20%	409	100%	409	100%	409	100%

Fig. 25a: Were lying/standing blood pressures measured? - all patients during their total inpatient stay

	Lying/standing BP recorded				Total		Availability of data				Total	
	Not done		LSBP done at least once				Collected		Not available			
RIE	329	76%	105	24%	434	100%	434	98%	8	2%	442	100%
BGH	71	95%	4	5%	75	100%	75	100%			75	100%
DGRI	78	81%	18	19%	96	100%	96	100%			96	100%
QMH	100	89%	12	11%	112	100%	112	100%			112	100%
Forth Valley	166	95%	8	5%	174	100%	174	100%			174	100%
Ninewells	197	85%	34	15%	231	100%	231	100%			231	100%
Hairmyres	84	89%	10	11%	94	100%	94	100%			94	100%
GRI	128	89%	16	11%	144	100%	144	99%	1	1%	145	100%
Wishaw	67	55%	55	45%	122	100%	122	100%			122	100%
Elgin	73	95%	4	5%	77	100%	77	100%			77	100%
WIG	130	83%	27	17%	157	100%	157	100%			157	100%
Crosshouse	110	96%	5	4%	115	100%	115	100%			115	100%
Raigmore	131	92%	11	8%	142	100%	142	100%			142	100%
RAH	151	83%	30	17%	181	100%	181	100%			181	100%
Inverclyde	74	86%	12	14%	86	100%	86	100%			86	100%
Monklands	93	90%	10	10%	103	100%	103	100%			103	100%
Perth	71	79%	19	21%	90	100%	90	100%			90	100%
Victoria	94	85%	16	15%	110	100%	110	100%			110	100%
Ayr	75	82%	17	18%	92	100%	92	100%			92	100%
SGH	48	75%	16	25%	64	100%	64	100%			64	100%
Total	2270	84%	429	16%	2699	100%	2699	100%	9	0%	2708	100%

Fig. 25b: Were lying/standing blood pressures measured? - patients returned/discharged straight home

	Lying/standing BP recorded				Total		Availability of data				Total	
	Not done		LSBP done at least once				Collected		Not available			
RIE	91	79%	24	21%	115	100%	115	98%	2	2%	117	100%
BGH	12	92%	1	8%	13	100%	13	100%			13	100%
DGRI	9	82%	2	18%	11	100%	11	100%			11	100%
QMH	39	95%	2	5%	41	100%	41	100%			41	100%
Forth Valley	23	100%			23	100%	23	100%			23	100%
Ninewells	67	94%	4	6%	71	100%	71	100%			71	100%
Hairmyres	44	98%	1	2%	45	100%	45	100%			45	100%
GRI	21	91%	2	9%	23	100%	23	100%			23	100%
Wishaw	25	89%	3	11%	28	100%	28	100%			28	100%
Elgin	17	100%			17	100%	17	100%			17	100%
WIG	60	92%	5	8%	65	100%	65	100%			65	100%
Crosshouse	41	98%	1	2%	42	100%	42	100%			42	100%
Raigmore	10	100%			10	100%	10	100%			10	100%
RAH	45	85%	8	15%	53	100%	53	100%			53	100%
Inverclyde	23	96%	1	4%	24	100%	24	100%			24	100%
Monklands	15	100%			15	100%	15	100%			15	100%
Perth	29	88%	4	12%	33	100%	33	100%			33	100%
Victoria	17	89%	2	11%	19	100%	19	100%			19	100%
Ayr	22	85%	4	15%	26	100%	26	100%			26	100%
SGH	17	100%			17	100%	17	100%			17	100%
Total	627	91%	64	9%	691	100%	691	100%	2	0%	693	100%

Fig. 25c: Were lying/standing blood pressures measured? - patients discharged to rehabilitation

	LSBP recorded in Ortho		LSBP recorded in Ortho & Rehab		LSBP recorded in Rehab		LSBP not recorded		Total	Availability of data	Availability of data		Total			
	n	%	n	%	n	%	n	%			Collected	Not available				
RIE	9	7%	14	10%	48	35%	65	48%	136	100%	136	96%	5	4%	141	100%
BGH					3	10%	28	90%	31	100%	31	97%	1	3%	32	100%
DGRI	1	4%	3	11%	6	21%	18	64%	28	100%	28	100%			28	100%
QMH	1	3%			7	20%	27	77%	35	100%	35	100%			35	100%
Forth Valley					8	7%	99	93%	107	100%	107	100%			107	100%
Ninewells			1	3%	27	75%	8	22%	36	100%	36	95%	2	5%	38	100%
Hairmyres					8	47%	9	53%	17	100%	17	100%			17	100%
GRI	3	4%	2	3%	9	11%	66	83%	80	100%	80	99%	1	1%	81	100%
Wishaw	3	5%	14	23%	35	58%	8	13%	60	100%	60	100%			60	100%
Elgin			1	6%	2	11%	15	83%	18	100%	18	100%			18	100%
WIG			4	11%	18	47%	16	42%	38	100%	38	100%			38	100%
Crosshouse	2	5%			1	2%	38	93%	41	100%	41	98%	1	2%	42	100%
Raigmore	3	4%			8	12%	58	84%	69	100%	69	100%			69	100%
RAH	2	3%	2	3%	15	23%	47	71%	66	100%	66	100%			66	100%
Inverclyde	1	3%	1	3%	9	27%	22	67%	33	100%	33	97%	1	3%	34	100%
Monklands	1	2%			9	18%	40	80%	50	100%	50	100%			50	100%
Perth					11	48%	12	52%	23	100%	23	96%	1	4%	24	100%
Victoria	2	3%			12	17%	57	80%	71	100%	71	100%			71	100%
Ayr	1	3%	2	6%	10	28%	23	64%	36	100%	36	100%			36	100%
SGH			2	8%	14	56%	9	36%	25	100%	25	100%			25	100%
Total	29	3%	46	5%	260	26%	665	67%	1000	100%	1000	99%	12	1%	1012	100%

Fig. 25d: Were lying/standing blood pressures measured? - patients returned/discharged to a care home

	Lying/standing BP recorded				Total		Availability of data				Total	
	Not done		LSBP done at least once				Collected		Not available			
RIE	72	97%	2	3%	74	100%	74	99%	1	1%	75	100%
BGH	9	100%			9	100%	9	100%			9	100%
DGRI	16	89%	2	11%	18	100%	18	100%			18	100%
QMH	9	90%	1	10%	10	100%	10	100%			10	100%
Forth Valley	29	100%			29	100%	29	100%			29	100%
Ninewells	52	96%	2	4%	54	100%	54	100%			54	100%
Hairmyres	15	100%			15	100%	15	100%			15	100%
GRI	12	100%			12	100%	12	100%			12	100%
Wishaw	15	100%			15	100%	15	100%			15	100%
Elgin	12	100%			12	100%	12	100%			12	100%
WIG	20	100%			20	100%	20	100%			20	100%
Crosshouse	15	94%	1	6%	16	100%	16	100%			16	100%
Raigmore	22	100%			22	100%	22	100%			22	100%
RAH	23	100%			23	100%	23	100%			23	100%
Inverclyde	20	100%			20	100%	20	100%			20	100%
Monklands	12	100%			12	100%	12	100%			12	100%
Perth	16	94%	1	6%	17	100%	17	100%			17	100%
Victoria	6	100%			6	100%	6	100%			6	100%
Ayr	15	100%			15	100%	15	100%			15	100%
SGH	9	100%			9	100%	9	100%			9	100%
Total	399	98%	9	2%	408	100%	408	100%	1	0%	409	100%

Fig. 26a: Were patients seen by a physiotherapist? - all patients during their total inpatient stay

	Seen by physio		Not seen by physio		Total		Availability of data				Total	
							Collected		Not available			
RIE	424	98%	10	2%	434	100%	434	98%	8	2%	442	100%
BGH	62	83%	13	17%	75	100%	75	100%			75	100%
DGRI	91	95%	5	5%	96	100%	96	100%			96	100%
QMH	110	99%	1	1%	111	100%	111	99%	1	1%	112	100%
Forth Valley	167	96%	7	4%	174	100%	174	100%			174	100%
Ninewells	219	96%	10	4%	229	100%	229	99%	2	1%	231	100%
Hairmyres	86	91%	8	9%	94	100%	94	100%			94	100%
GRI	135	95%	7	5%	142	100%	142	98%	3	2%	145	100%
Wishaw	119	98%	3	2%	122	100%	122	100%			122	100%
Elgin	68	88%	9	12%	77	100%	77	100%			77	100%
WIG	149	96%	7	4%	156	100%	156	99%	1	1%	157	100%
Crosshouse	114	99%	1	1%	115	100%	115	100%			115	100%
Raigmore	140	99%	2	1%	142	100%	142	100%			142	100%
RAH	168	93%	13	7%	181	100%	181	100%			181	100%
Inverclyde	85	99%	1	1%	86	100%	86	100%			86	100%
Monklands	96	93%	7	7%	103	100%	103	100%			103	100%
Perth	90	100%			90	100%	90	100%			90	100%
Victoria	105	95%	5	5%	110	100%	110	100%			110	100%
Ayr	88	96%	4	4%	92	100%	92	100%			92	100%
SGH	62	97%	2	3%	64	100%	64	100%			64	100%
Total	2578	96%	115	4%	2693	100%	2693	99%	15	1%	2708	100%

Fig. 26b: Were patients seen by a physiotherapist? - patients returned/discharged straight home

	Seen by physio		Not seen by physio		Total		Availability of data		Total	
							Collected			
RIE	117	100%			117	100%	117	100%	117	100%
BGH	13	100%			13	100%	13	100%	13	100%
DGRI	11	100%			11	100%	11	100%	11	100%
QMH	41	100%			41	100%	41	100%	41	100%
Forth Valley	22	96%	1	4%	23	100%	23	100%	23	100%
Ninewells	71	100%			71	100%	71	100%	71	100%
Hairmyres	45	100%			45	100%	45	100%	45	100%
GRI	23	100%			23	100%	23	100%	23	100%
Wishaw	28	100%			28	100%	28	100%	28	100%
Elgin	17	100%			17	100%	17	100%	17	100%
WIG	65	100%			65	100%	65	100%	65	100%
Crosshouse	42	100%			42	100%	42	100%	42	100%
Raigmore	10	100%			10	100%	10	100%	10	100%
RAH	53	100%			53	100%	53	100%	53	100%
Inverclyde	23	96%	1	4%	24	100%	24	100%	24	100%
Monklands	15	100%			15	100%	15	100%	15	100%
Perth	33	100%			33	100%	33	100%	33	100%
Victoria	19	100%			19	100%	19	100%	19	100%
Ayr	26	100%			26	100%	26	100%	26	100%
SGH	17	100%			17	100%	17	100%	17	100%
Total	691	100%	2	0%	693	100%	693	100%	693	100%

Fig. 26c: Were patients seen by a physiotherapist? - patients discharged to rehabilitation

	Seen by physio in Ortho		Seen by physio in Ortho & Rehab		Seen by physio in Rehab		Not seen by physio		Total	Availability of data				Total		
										Collected		Not available				
RIE	1	1%	138	98%	2	1%			141	100%	141	100%			141	100%
BGH			22	69%	9	28%	1	3%	32	100%	32	100%			32	100%
DGRI			28	100%					28	100%	28	100%			28	100%
QMH	1	3%	34	97%					35	100%	35	100%			35	100%
Forth Valley	7	7%	96	90%	4	4%			107	100%	107	100%			107	100%
Ninewells			38	100%					38	100%	38	100%			38	100%
Hairmyres			17	100%					17	100%	17	100%			17	100%
GRI			74	93%	6	8%			80	100%	80	99%	1	1%	81	100%
Wishaw			60	100%					60	100%	60	100%			60	100%
Elgin	1	6%	16	89%	1	6%			18	100%	18	100%			18	100%
WIG			38	100%					38	100%	38	100%			38	100%
Crosshouse			42	100%					42	100%	42	100%			42	100%
Raigmore	1	1%	68	99%					69	100%	69	100%			69	100%
RAH	4	6%	57	86%	5	8%			66	100%	66	100%			66	100%
Inverclyde			34	100%					34	100%	34	100%			34	100%
Monklands	1	2%	49	98%					50	100%	50	100%			50	100%
Perth	1	4%	23	96%					24	100%	24	100%			24	100%
Victoria	1	1%	70	99%					71	100%	71	100%			71	100%
Ayr			36	100%					36	100%	36	100%			36	100%
SGH			24	96%	1	4%			25	100%	25	100%			25	100%
Total	18	2%	964	95%	28	3%	1	0%	1011	100%	1011	100%	1	0%	1012	100%

Fig. 26d: Were patients seen by a physiotherapist? - patients returned/discharged to a care home

	Seen by physio		Not seen by physio		Total		Availability of data				Total	
							Collected		Not available			
RIE	73	97%	2	3%	75	100%	75	100%			75	100%
BGH	6	67%	3	33%	9	100%	9	100%			9	100%
DGRI	18	100%			18	100%	18	100%			18	100%
QMH	9	100%			9	100%	9	90%	1	10%	10	100%
Forth Valley	26	90%	3	10%	29	100%	29	100%			29	100%
Ninewells	53	98%	1	2%	54	100%	54	100%			54	100%
Hairmyres	13	87%	2	13%	15	100%	15	100%			15	100%
GRI	12	100%			12	100%	12	100%			12	100%
Wishaw	15	100%			15	100%	15	100%			15	100%
Elgin	8	67%	4	33%	12	100%	12	100%			12	100%
WIG	18	95%	1	5%	19	100%	19	95%	1	5%	20	100%
Crosshouse	16	100%			16	100%	16	100%			16	100%
Raigmore	22	100%			22	100%	22	100%			22	100%
RAH	19	83%	4	17%	23	100%	23	100%			23	100%
Inverclyde	20	100%			20	100%	20	100%			20	100%
Monklands	10	83%	2	17%	12	100%	12	100%			12	100%
Perth	17	100%			17	100%	17	100%			17	100%
Victoria	5	83%	1	17%	6	100%	6	100%			6	100%
Ayr	14	93%	1	7%	15	100%	15	100%			15	100%
SGH	9	100%			9	100%	9	100%			9	100%
Total	383	94%	24	6%	407	100%	407	100%	2	0%	409	100%

Fig. 27a: Were patients seen by an occupational therapist? - all patients during their total inpatient stay

	Seen by OT		Not seen by OT		Total		Availability of data				Total	
	Count	%	Count	%	Count	%	Collected		Not available		Count	%
							Count	%	Count	%		
RIE	355	80%	87	20%	442	100%	442	100%			442	100%
BGH	42	56%	33	44%	75	100%	75	100%			75	100%
DGRI	72	75%	24	25%	96	100%	96	100%			96	100%
QMH	86	77%	26	23%	112	100%	112	100%			112	100%
Forth Valley	110	64%	63	36%	173	100%	173	99%	1	1%	174	100%
Ninewells	127	56%	101	44%	228	100%	228	99%	3	1%	231	100%
Hairmyres	65	69%	29	31%	94	100%	94	100%			94	100%
GRI	111	82%	24	18%	135	100%	135	93%	10	7%	145	100%
Wishaw	93	76%	29	24%	122	100%	122	100%			122	100%
Elgin	57	74%	20	26%	77	100%	77	100%			77	100%
WIG	113	72%	43	28%	156	100%	156	99%	1	1%	157	100%
Crosshouse	92	80%	23	20%	115	100%	115	100%			115	100%
Raigmore	99	70%	43	30%	142	100%	142	100%			142	100%
RAH	115	64%	65	36%	180	100%	180	99%	1	1%	181	100%
Inverclyde	57	66%	29	34%	86	100%	86	100%			86	100%
Monklands	74	72%	29	28%	103	100%	103	100%			103	100%
Perth	68	76%	22	24%	90	100%	90	100%			90	100%
Victoria	101	93%	8	7%	109	100%	109	99%	1	1%	110	100%
Ayr	68	74%	24	26%	92	100%	92	100%			92	100%
SGH	50	79%	13	21%	63	100%	63	98%	1	2%	64	100%
Total	1955	73%	735	27%	2690	100%	2690	99%	18	1%	2708	100%

Fig. 27b: Were patients seen by an occupational therapist? - patients returned/discharged straight home

	Seen by OT		Not seen by OT		Total	Availability of data Collected	Total
RIE	116	99%	1	1%	117	100%	117
BGH	12	92%	1	8%	13	100%	13
DGRI	11	100%			11	100%	11
QMH	40	98%	1	2%	41	100%	41
Forth Valley	20	87%	3	13%	23	100%	23
Ninewells	68	96%	3	4%	71	100%	71
Hairmyres	44	98%	1	2%	45	100%	45
GRI	23	100%			23	100%	23
Wishaw	27	96%	1	4%	28	100%	28
Elgin	17	100%			17	100%	17
WIG	65	100%			65	100%	65
Crosshouse	41	98%	1	2%	42	100%	42
Raigmore	10	100%			10	100%	10
RAH	52	98%	1	2%	53	100%	53
Inverclyde	23	96%	1	4%	24	100%	24
Monklands	15	100%			15	100%	15
Perth	27	82%	6	18%	33	100%	33
Victoria	19	100%			19	100%	19
Ayr	26	100%			26	100%	26
SGH	16	94%	1	6%	17	100%	17
Total	672	97%	21	3%	693	100%	693

Fig. 27c: Were patients seen by an occupational therapist? - patients discharged to rehabilitation

	Seen by OT in Ortho		Seen by OT in Ortho & Rehab		Seen by OT in Rehab		Not seen by OT		Total	Availability of data	Availability of data		Total			
	Seen by OT in Ortho	%	Seen by OT in Ortho & Rehab	%	Seen by OT in Rehab	%	Not seen by OT	%			Total	%		Collected	Not available	
														Collected	Not available	
RIE	4	3%	94	67%	40	28%	3	2%	141	100%	141	100%	141	100%		
BGH			19	59%	6	19%	7	22%	32	100%	32	100%	32	100%		
DGRI			24	86%	4	14%			28	100%	28	100%	28	100%		
QMH	3	9%	28	80%	4	11%			35	100%	35	100%	35	100%		
Forth Valley	4	4%	31	29%	55	52%	16	15%	106	100%	106	99%	1	1%	107	100%
Ninewells			4	11%	30	81%	3	8%	37	100%	37	97%	1	3%	38	100%
Hairmyres	1	6%	14	82%	2	12%			17	100%	17	100%			17	100%
GRI	4	5%	48	64%	20	27%	3	4%	75	100%	75	93%	6	7%	81	100%
Wishaw	2	3%	24	40%	32	53%	2	3%	60	100%	60	100%			60	100%
Elgin	2	11%	12	67%	4	22%			18	100%	18	100%			18	100%
WIG	1	3%	27	71%	9	24%	1	3%	38	100%	38	100%			38	100%
Crosshouse			39	93%	3	7%			42	100%	42	100%			42	100%
Raigmore	3	4%	34	49%	29	42%	3	4%	69	100%	69	100%			69	100%
RAH			10	15%	47	72%	8	12%	65	100%	65	98%	1	2%	66	100%
Inverclyde	3	9%	20	59%	8	24%	3	9%	34	100%	34	100%			34	100%
Monklands	1	2%	40	80%	4	8%	5	10%	50	100%	50	100%			50	100%
Perth	1	4%	18	75%	5	21%			24	100%	24	100%			24	100%
Victoria	2	3%	66	93%	2	3%	1	1%	71	100%	71	100%			71	100%
Ayr	2	6%	29	81%	5	14%			36	100%	36	100%			36	100%
SGH			20	80%	4	16%	1	4%	25	100%	25	100%			25	100%
Total	33	3%	601	60%	313	31%	56	6%	1003	100%	1003	99%	9	1%	1012	100%

Fig. 27d: Were patients seen by an occupational therapist? - patients returned/discharged to a care home

	Seen by OT		Not seen by OT		Total		Availability of data				Total	
							Collected		Not available			
RIE	40	53%	35	47%	75	100%	75	100%			75	100%
BGH			9	100%	9	100%	9	100%			9	100%
DGRI	10	56%	8	44%	18	100%	18	100%			18	100%
QMH			10	100%	10	100%	10	100%			10	100%
Forth Valley			29	100%	29	100%	29	100%			29	100%
Ninewells	7	13%	47	87%	54	100%	54	100%			54	100%
Hairmyres			15	100%	15	100%	15	100%			15	100%
GRI	4	36%	7	64%	11	100%	11	92%	1	8%	12	100%
Wishaw	2	13%	13	87%	15	100%	15	100%			15	100%
Elgin	3	25%	9	75%	12	100%	12	100%			12	100%
WIG			19	100%	19	100%	19	95%	1	5%	20	100%
Crosshouse			16	100%	16	100%	16	100%			16	100%
Raigmore	1	5%	21	95%	22	100%	22	100%			22	100%
RAH	3	13%	20	87%	23	100%	23	100%			23	100%
Inverclyde			20	100%	20	100%	20	100%			20	100%
Monklands	2	17%	10	83%	12	100%	12	100%			12	100%
Perth	9	53%	8	47%	17	100%	17	100%			17	100%
Victoria	3	60%	2	40%	5	100%	5	83%	1	17%	6	100%
Ayr			15	100%	15	100%	15	100%			15	100%
SGH	1	13%	7	88%	8	100%	8	89%	1	11%	9	100%
Total	85	21%	320	79%	405	100%	405	99%	4	1%	409	100%

Fig. 28a: Environmental visits for rehabilitation patients

	Environmental visit				Total		Availability of data				Total	
	Yes		No				Collected		Not available			
RIE	23	16%	117	84%	140	100%	140	99%	1	1%	141	100%
BGH	3	9%	29	91%	32	100%	32	100%			32	100%
DGRI	3	11%	25	89%	28	100%	28	100%			28	100%
QMH	7	20%	28	80%	35	100%	35	100%			35	100%
Forth Valley	2	2%	105	98%	107	100%	107	100%			107	100%
Ninewells	3	8%	34	92%	37	100%	37	97%	1	3%	38	100%
Hairmyres	8	47%	9	53%	17	100%	17	100%			17	100%
GRI	7	9%	73	91%	80	100%	80	99%	1	1%	81	100%
Wishaw	4	7%	56	93%	60	100%	60	100%			60	100%
Elgin	4	22%	14	78%	18	100%	18	100%			18	100%
WIG	6	16%	32	84%	38	100%	38	100%			38	100%
Crosshouse	8	19%	34	81%	42	100%	42	100%			42	100%
Raigmore	13	19%	56	81%	69	100%	69	100%			69	100%
RAH	6	9%	60	91%	66	100%	66	100%			66	100%
Inverclyde	4	12%	30	88%	34	100%	34	100%			34	100%
Monklands	9	18%	41	82%	50	100%	50	100%			50	100%
Perth	10	43%	13	57%	23	100%	23	96%	1	4%	24	100%
Victoria	8	11%	63	89%	71	100%	71	100%			71	100%
Ayr	6	17%	30	83%	36	100%	36	100%			36	100%
SGH	4	16%	21	84%	25	100%	25	100%			25	100%
Total	138	14%	870	86%	1008	100%	1008	100%	4	0%	1012	100%

Fig. 28b: Home visits for rehabilitation patients

	Home visit				Total		Availability of data				Total	
	Yes		No				Collected		Not available			
RIE	56	40%	84	60%	140	100%	140	99%	1	1%	141	100%
BGH	14	44%	18	56%	32	100%	32	100%			32	100%
DGRI	11	39%	17	61%	28	100%	28	100%			28	100%
QMH			35	100%	35	100%	35	100%			35	100%
Forth Valley	22	21%	85	79%	107	100%	107	100%			107	100%
Ninewells	8	22%	29	78%	37	100%	37	97%	1	3%	38	100%
Hairmyres	1	6%	16	94%	17	100%	17	100%			17	100%
GRI			80	100%	80	100%	80	99%	1	1%	81	100%
Wishaw	27	45%	33	55%	60	100%	60	100%			60	100%
Elgin	6	33%	12	67%	18	100%	18	100%			18	100%
WIG	10	26%	28	74%	38	100%	38	100%			38	100%
Crosshouse	17	40%	25	60%	42	100%	42	100%			42	100%
Raigmore	28	41%	41	59%	69	100%	69	100%			69	100%
RAH	19	29%	47	71%	66	100%	66	100%			66	100%
Inverclyde	16	47%	18	53%	34	100%	34	100%			34	100%
Monklands	1	2%	49	98%	50	100%	50	100%			50	100%
Perth	12	52%	11	48%	23	100%	23	96%	1	4%	24	100%
Victoria	4	6%	67	94%	71	100%	71	100%			71	100%
Ayr	12	33%	24	67%	36	100%	36	100%			36	100%
SGH	2	8%	23	92%	25	100%	25	100%			25	100%
Total	266	26%	742	74%	1008	100%	1008	100%	4	0%	1012	100%

Fig. 29a: Supported discharge - patients returned/discharged straight home

	Supported discharge				Total		Availability of data				Total	
	Yes		No				Collected		Not available			
DGRI			11	100%	11	100%	11	100%			11	100%
QMH	20	49%	21	51%	41	100%	41	100%			41	100%
Forth Valley	1	4%	22	96%	23	100%	23	100%			23	100%
Ninewells	33	46%	38	54%	71	100%	71	100%			71	100%
Hairmyres	9	20%	36	80%	45	100%	45	100%			45	100%
GRI	16	70%	7	30%	23	100%	23	100%			23	100%
Wishaw	8	29%	20	71%	28	100%	28	100%			28	100%
Elgin	16	94%	1	6%	17	100%	17	100%			17	100%
WIG	61	94%	4	6%	65	100%	65	100%			65	100%
Crosshouse	11	26%	31	74%	42	100%	42	100%			42	100%
Raigmore	1	10%	9	90%	10	100%	10	100%			10	100%
RAH	20	49%	21	51%	41	100%	41	77%	12	23%	53	100%
Monklands	7	47%	8	53%	15	100%	15	100%			15	100%
Perth	9	27%	24	73%	33	100%	33	100%			33	100%
Victoria	16	84%	3	16%	19	100%	19	100%			19	100%
Ayr	6	23%	20	77%	26	100%	26	100%			26	100%
SGH	12	71%	5	29%	17	100%	17	100%			17	100%
Non-ESDT hospital			154	100%	154	100%	154	100%			154	100%
Total	246	36%	435	64%	681	100%	681	98%	12	2%	693	100%

Hospitals without SDTs as defined in the report (BGH, Inverclyde and RIE) are excluded from this table. REACH and MATCH were included as SDTs at Forth Valley and RAH after local consultation.

Fig. 29b: Supported discharge - patients discharged home via rehabilitation

	Supported discharge				Total		Availability of data				Total	
	Yes		No				Collected		Not available			
DGRI			21	100%	21	100%	21	100%			21	100%
QMH	11	50%	11	50%	22	100%	22	100%			22	100%
Forth Valley	11	16%	56	84%	67	100%	67	100%			67	100%
Ninewells	14	64%	8	36%	22	100%	22	92%	2	8%	24	100%
Hairmyres	10	91%	1	9%	11	100%	11	100%			11	100%
GRI	34	71%	14	29%	48	100%	48	98%	1	2%	49	100%
Wishaw	30	81%	7	19%	37	100%	37	100%			37	100%
Elgin	5	50%	5	50%	10	100%	10	100%			10	100%
WIG	19	100%			19	100%	19	100%			19	100%
Crosshouse	3	10%	26	90%	29	100%	29	100%			29	100%
Raigmore	17	36%	30	64%	47	100%	47	100%			47	100%
RAH	7	39%	11	61%	18	100%	18	56%	14	44%	32	100%
Monklands	15	47%	17	53%	32	100%	32	100%			32	100%
Perth	7	54%	6	46%	13	100%	13	100%			13	100%
Victoria	48	92%	4	8%	52	100%	52	100%			52	100%
Ayr	2	11%	17	89%	19	100%	19	100%			19	100%
SGH	14	93%	1	7%	15	100%	15	100%			15	100%
Non-ESDT hospital			115	100%	115	100%	115	99%	1	1%	116	100%
Total	247	41%	350	59%	597	100%	597	97%	18	3%	615	100%

Hospitals without SDTs as defined in the report (BGH, Inverclyde and RIE) are excluded from this table. REACH and MATCH were included as SDTs at Forth Valley and RAH after local consultation